



CPVC

工业管路系统-CP系列




SANKING
PARTNER FOR SOLUTIONS

管材Pipe (Schedule80)/(Schedule40)/(F441-99)	
管Pipe (DIN)(GB/T18998.2-2003)	23/24
直接头Coupling (SxS)	
ANSI-内牙直接Female Adapter (SxT)	
DIN-直接Coupling (SxS)	25/26
ANSI-内牙直接Female Adapter (TxT)	
DIN-异径直接(大小头)Reducing Socket (SxS)	
ANSI-外牙直接Male Adaptor (SxT)	
ANSI-外牙直接Male Adaptor (SxT)	
DIN-内牙直接Coupling (SxT)	27/28
DIN-内牙直接Coupling (TxT)	
ANSI-正三通Tee (SxSxS)	
ANSI-正三通Tee (SxSxT)	29/30
DIN-正三通Tee (SxSxS)	
DIN-正三通Tee (SxSxT)	
ANSI-异径三通Reducing Tee (SxSxS)	31/32
ANSI-45° 弯头45 Degree Elbow (SxS)	
DIN-45° 弯头45 Degree Elbow (SxS)	
ANSI-90° 弯头90 Degree Elbow (SxS)	
DIN-90° 弯头90 Degree Elbow (SxS)	33/34
ANSI-90° 弯头90 Degree Elbow (SxT)	
DIN-90° 弯头90 Degree Elbow (SxT)	
ANSI-90° 弯头90 Degree Elbow (TxT)	
DIN-90° 弯头90 Degree Elbow (TxT)	35/36
DIN-卜串Reducing Bushing (SxS)	
ANSI-卜串Reducing Bushing (SxS)	
ANSI-卜串Reducing Bushing (SxT)	
DIN-卜串Reducing Bushing (SxT)	37/38
ANSI-管帽Cap	
DIN-管帽Cap	
ANSI-双片法兰Van Stone Flange	39/40
DIN-双片法兰Van Stone Flange	
ANSI-盲法兰 Blind Flange	
DIN-单片法兰及表格 Flange	
活接由令Union	41/42
竹节外牙直插Hose Adapter	
双外牙直插Nipple	
DIN-鞍形接头Sampling Header (S)	43/44
DIN-鞍形接头Sampling Header (T)	




管材Pipe (Schedule80)/(Schedule40)/(F441-99)

Nominal Size	D	Tolerance	Socket Type			
			SCH80		SCH40	
			T(min/mm)	Tolerance	T(min/mm)	Tolerance
1/2"	21.34	±0.10	3.73	+0.51	2.77	+0.51
3/4"	26.67	±0.10	3.91	+0.51	2.87	+0.51
1"	33.40	±0.13	4.55	+0.53	3.38	+0.51
1-1/4"	42.16	±0.13	4.85	+0.58	3.56	+0.51
1-1/2"	48.26	±0.15	5.08	+0.61	3.68	+0.51
2"	60.32	±0.15	5.54	+0.66	3.91	+0.51
2-1/2"	73.02	±0.18	7.01	+0.84	5.16	+0.61
3"	88.90	±0.20	7.62	+0.91	5.49	+0.66
4"	114.30	±0.23	8.56	+1.02	6.02	+0.71
5"	141.30	±0.25	9.52	+1.14	6.55	+0.79
6"	168.28	±0.28	10.97	+1.32	7.11	+0.86
8"	219.08	±0.38	12.70	+1.52	8.18	+0.99
10"	273.05	±0.38	15.06	+1.80	9.27	+1.12
12"	323.85	±0.38	17.45	+2.08	10.31	+1.24
14"	355.60	±0.38	19.05	+2.28	11.10	+1.35



管Pipe (DIN)(GB/T18998.2-2003)


Nominal Size	D	Tolerance	Socket Type			Pressure
			T(min)	Tolerance		
DN15	20	+0.2	2.3	+0.5		S4
DN20	25	+0.2	2.3	+0.5		S5
DN25	32	+0.2	2.9	+0.5		S5
DN32	40	+0.2	3.7	+0.6		S5
DN40	50	+0.2	4.6	+0.7		S5
DN50	63	+0.3	4.7	+0.7		S6.3
DN65	75	+0.3	5.6	+0.8		S6.3
DN80	90	+0.3	6.7	+0.9		S6.3
DN100	110	+0.4	8.1	+1.1		S6.3
DN125	140	+0.5	10.3	+1.3		S6.3
DN150	160	+0.5	11.8	+1.4		S6.3
DN180	200	+0.6	14.7	+1.7		S6.3
DN200	225	+0.7	16.6	+1.9		S6.3
DN250	250	+0.8	18.4	+2.3		S6.3
DN300	315	+1.0	23.2	+2.6		S6.3
DN350	355	+1.1	26.1	+2.9		S6.3



直接头Coupling(SxS)

ANSI


Nominal Size	Outside Dia D	Socket Type			Structural Diameter	
		d1	d2	l	d	L
1/2"	30.00	21.54	21.23	24.00	16.00	52.00
3/4"	35.00	26.87	26.57	27.00	22.00	58.00
1"	44.00	33.65	33.27	30.00	30.00	64.00
1-1/4"	54.00	42.42	42.04	34.00	38.00	72.00
1-1/2"	60.00	48.56	48.11	37.00	43.00	78.00
2"	73.00	60.63	60.17	41.00	54.00	86.00
2-1/2"	88.00	73.38	72.85	46.50	67.00	98.00
3"	105.00	89.31	88.70	50.00	82.00	107.00
4"	132.00	114.76	114.10	60.00	106.00	126.00
5"	162.00	141.81	141.00	77.00	133.00	162.00
6"	193.00	168.83	168.00	79.00	158.00	168.00
8"	261.00	219.84	218.70	103.00	214.00	215.00
10"	305.80	273.81	272.67	128.00	265.00	266.00
12"	361.00	324.61	323.47	153.00	313.50	317.00



内牙直接Female Adapter(SxT)

ANSI


Nominal Size	Outside Dia D	Socket Type			Structural Diameter		
		d1	d2	l	d	L	NPT(牙数/寸)
1/2"	30.00	21.54	21.23	24.00	13.20	52.00	14.00
3/4"	35.00	26.87	26.57	27.00	19.00	58.00	14.00
1"	44.00	33.65	33.27	30.00	24.00	64.00	11.50
1-1/4"	54.00	42.42	42.04	34.00	32.00	72.00	11.50
1-1/2"	60.00	48.56	48.11	37.00	38.00	78.00	11.50
2"	73.00	60.63	60.17	41.00	50.00	86.00	11.50
2-1/2"	88.00	73.38	72.85	46.50	67.00	98.00	8.0
3"	105.00	89.31	88.70	50.00	82.00	107.00	8.0
4"	132.00	114.76	114.10	60.00	106.00	126.00	8.0



直接头Coupling(SxS)

DIN


Nominal	Socket Type			Structural Diameter		
Size	d1	d2	l	D	d	L
DN15	20.3	20.1	16.0	27.0	16.0	36.0
DN20	25.3	25.1	20.0	32.0	21.0	44.0
DN25	32.3	32.1	24.0	40.0	28.0	52.0
DN32	40.3	40.1	28.0	50.0	36.0	60.0
DN40	50.3	50.1	32.0	63.0	46.0	68.0
DN50	63.3	63.1	38.0	76.5	57.0	80.0
DN65	75.3	75.1	44.0	90.0	70.0	92.0
DN80	90.3	90.1	51.0	110.0	86.1	107.0
DN100	110.4	110.1	61.0	133.0	106.1	128.0
DN125	140.5	140.2	77.0	162.0	133.0	162.0
DN150	160.5	160.2	86.0	186.0	154.0	180.0
DN200	225.7	225.3	120.0	261.0	214.0	250.0
DN250	281.5	280.0	146.5	308.5	272.0	304.0
DN300	316.4	315.0	164.0	347.5	305.0	340.0



内牙直接Female Adapter(TxT)

ANSI


Nominal	Outside Dia	Structural Diameter		
Size	D	d	L	NPT(牙数/寸)
1/2"	30.00	16.0	52.00	14.00
3/4"	35.00	22.0	58.00	14.00
1"	44.00	30.0	64.00	11.50
1-1/4"	54.00	38.0	72.00	11.50
1-1/2"	60.00	43.0	78.00	11.50
2"	73.00	54.0	86.00	11.50
2-1/2"	88.00	67.0	98.00	8.00
3"	105.00	82.0	107.00	8.00
4"	132.00	106.0	126.00	8.00



异径直接 (大小头) Reducing Socket(SxS)

DIN

Nominal	Outside Dia		Socket Type						Structural Diameter	
Size	D1	D2	d1	d2	l1	d3	d4	l2	d	L
DN20*DN15	32.0	27.0	25.3	25.1	20.0	20.3	20.1	16.0	16.0	44.0
DN25*DN15	40.0	27.0	32.3	32.1	24.0	20.3	20.1	16.0	16.0	52.0
DN25*DN20	40.0	32.0	32.3	32.1	24.0	25.3	25.1	20.0	21.0	52.0
DN32*DN15	50.0	27.0	40.3	40.1	28.0	20.3	20.1	16.0	16.0	60.0
DN32*DN20	50.0	32.0	40.3	40.1	28.0	25.3	25.1	20.0	21.0	60.0
DN32*DN25	50.0	40.0	40.3	40.1	28.0	32.3	32.1	24.0	28.0	60.0
DN40*DN15	63.0	27.0	50.3	50.1	32.0	20.3	20.1	16.0	16.0	68.0
DN40*DN20	63.0	32.0	50.3	50.1	32.0	25.3	25.1	20.0	21.0	68.0
DN40*DN25	63.0	40.0	50.3	50.1	32.0	32.3	32.1	24.0	28.0	68.0
DN40*DN32	63.0	50.0	50.3	50.1	32.0	40.3	40.1	28.0	36.0	68.0
DN50*DN15	75.0	27.0	63.3	63.1	38.0	20.3	20.1	16.0	16.0	80.0
DN50*DN20	75.0	32.0	63.3	63.1	38.0	25.3	25.1	20.0	21.0	80.0
DN50*DN25	75.0	40.0	63.3	63.1	38.0	32.3	32.1	24.0	28.0	80.0
DN50*DN32	75.0	50.0	63.3	63.1	38.0	40.3	40.1	28.0	36.0	80.0
DN50*DN40	75.0	63.0	63.3	63.1	38.0	50.3	50.1	32.0	46.0	80.0
DN65*DN50	90.0	76.5	75.3	75.1	44.0	63.3	63.1	38.0	50.0	100.5
DN80*DN50	110.0	76.5	90.3	90.1	51.0	63.3	63.1	38.0	50.0	112.5
DN80*DN65	110.0	90.0	90.3	90.1	51.0	75.3	75.1	44.0	65.0	118.5
DN100*DN50	133.0	76.5	110.4	110.1	61.0	63.3	63.1	38.0	50.0	126.5
DN100*DN80	133.0	110.0	110.4	110.1	61.0	90.3	90.1	51.0	80.0	140.0




ANSI

Nominal	Outside Dia		Socket Type						Structural Diameter	
Size	D1	D2	d1	d2	l1	d3	d4	l2	d	L
2-1/2"*2"	88.0	73.0	73.38	72.85	45.0	60.63	60.17	38.6	50.0	96.0
3*2"	105.0	73.0	89.30	88.70	48.2	60.63	60.17	38.6	50.0	103.0
3*2"-1/2"	105.0	88.0	89.30	88.70	48.2	73.38	72.85	45.0	65.0	103.0
4*2"	132.0	73.0	114.76	114.1	58.0	60.63	60.17	38.6	50.0	122.0
4*3"	132.0	105.0	114.76	114.1	58.0	89.30	88.70	48.2	80.0	122.0

外牙直接Male Adapter(SxT)

ANSI


Nominal	Outside Dia	Socket Type			Structural Diameter		
Size	D	d1	d2	l	d	L	NPT(牙数/寸)
1/2"	30.00	21.54	21.23	24.00	13.20	50.00	14.00
3/4"	35.00	26.87	26.57	27.00	19.00	50.50	14.00
1"	44.00	33.65	33.27	30.00	24.00	59.00	11.50
1-1/4"	54.00	42.42	42.04	34.00	32.00	63.40	11.50
1-1/2"	60.00	48.56	48.11	37.00	38.00	67.00	11.50
2"	73.00	60.63	60.17	41.10	50.00	73.00	11.50
2-1/2"	88.00	73.38	72.85	45.00	58.00	79.50	8.00
3"	105.00	89.30	88.70	48.00	72.00	86.00	8.00
4"	132.00	114.76	114.10	58.00	96.00	99.00	8.00



外牙直接Male Adapter(SxT)

DIN


Nominal	Outside Dia	Socket Type			Structural Diameter		
Size	D	d1	d2	I	d	L	PT(牙数/寸)
DN15	30.0	20.3	20.1	24.0	13.2	50.0	14
DN20	35.0	25.3	25.1	27.0	19.0	50.5	14
DN25	44.0	32.3	32.1	30.0	24.0	59.0	11
DN32	54.0	40.3	40.1	34.0	32.0	63.4	11
DN40	60.0	50.3	50.1	37.0	38.0	67.0	11
DN50	73.0	63.3	63.1	41.0	50.0	73.0	11
DN65	90.0	75.3	75.1	44.0	62.0	79.5	11
DN80	110.0	90.3	90.1	51.0	74.0	90.5	11
DN100	133.0	110.4	110.1	61.0	97.0	107.5	11



内牙直接Female Adaptor(SxT)

DIN


Nominal	Outside Dia	Socket Type			Structural Diameter		
Size	D	d1	d2	I	d	L	PT(牙数/寸)
DN15	30.0	20.3	20.1	16.0	13.2	52.0	14
DN20	35.0	25.3	25.1	19.0	19.0	58.0	14
DN25	44.0	32.3	32.1	22.0	24.0	64.0	11
DN32	54.0	40.3	40.1	26.0	32.0	72.0	11
DN40	60.0	50.3	50.1	32.0	38.0	78.0	11
DN50	73.0	63.3	63.1	38.0	50.0	86.0	11
DN65	90.0	75.3	75.1	44.0	70.0	92.0	11
DN80	110.0	90.3	90.1	51.0	86.1	107.0	11
DN100	133.0	110.4	110.1	61.0	106.1	128.0	11



内牙直接Female Adaptor(TxT)

DIN


Nominal	Outside Dia	Structural Diameter		
Size	D	d	L	PT(牙数/寸)
DN15	27.0	16.0	36.0	14
DN20	32.0	21.0	44.0	14
DN25	40.0	28.0	52.0	11
DN32	50.0	36.0	60.0	11
DN40	63.0	46.0	68.0	11
DN50	76.5	57.0	80.0	11
DN65	90.0	70.0	92.0	11
DN80	110.0	86.1	107.0	11
DN100	133.0	106.1	128.0	11



正三通Tee(SxSxS)

ANSI


Nominal	Outside Dia	Socket Type			Structural Diameter		
Size	D	d1	d2	I	d	H	L
1/2"	29.00	21.54	21.23	24.00	16.00	51.50	74.00
3/4"	35.00	26.87	26.57	27.00	22.00	59.50	84.00
1"	44.00	33.65	33.27	30.00	30.00	70.00	96.00
1-1/4"	54.00	42.42	42.04	34.00	38.00	84.00	114.00
1-1/2"	60.00	48.56	48.11	37.00	44.00	93.00	126.00
2"	73.00	60.63	60.17	41.00	54.00	109.50	146.00
2-1/2"	88.00	73.38	72.85	46.50	67.00	129.50	171.00
3"	105.00	89.31	88.70	50.00	82.00	149.50	194.00
4"	132.00	114.76	114.10	60.00	106.00	185.00	238.00
5"	162.00	141.81	141.00	77.00	133.00	234.50	307.00
6"	191.00	168.83	168.00	79.00	158.00	263.50	336.00
8"	246.00	219.84	218.70	102.00	200.00	340.00	434.00
10"	304.80	273.81	272.67	128.00	265.00	425.00	546.00
12"	361.00	324.61	323.47	153.00	313.50	508.50	656.00



正三通Tee(SxSxT)

ANSI


Nominal	Outside Dia	Socket Type			Structural Diameter		
Size	D	d1	d2	I	d	H	L NPT(牙数/寸)
1/2"	29.00	21.54	21.23	24.00	16.00	51.50	74.00 14.00
3/4"	35.00	26.87	26.57	27.00	22.00	59.50	84.00 14.00
1"	44.00	33.65	33.27	30.00	30.00	70.00	96.00 11.50
1-1/4"	54.00	42.42	42.04	34.00	38.00	84.00	114.00 11.50
1-1/2"	60.00	48.56	48.11	37.00	43.00	93.00	126.00 11.50
2"	73.00	60.63	60.17	41.00	54.00	109.50	146.00 11.50



正三通Tee(SxSxS)

DIN


Nominal	Socket Type			Structural Diameter			
Size	d1	d2	l	D	d	H	L
DN15	20.3	20.1	16.0	27.0	17.0	40.0	56.0
DN20	25.3	25.1	19.0	33.0	23.0	49.5	66.0
DN25	32.3	32.1	22.0	41.0	29.0	61.0	81.0
DN32	40.3	40.1	26.0	50.0	37.0	73.5	96.0
DN40	50.3	50.1	32.0	61.0	47.0	88.0	118.0
DN50	63.3	63.1	38.0	76.5	63.0	107.5	143.0
DN65	75.3	75.1	44.0	92.0	72.1	131.5	171.0
DN80	90.3	90.1	51.0	110.6	87.1	153.8	197.0
DN100	110.4	110.1	61.0	133.0	106.1	185.5	238.0
DN125	140.5	140.2	77.0	162.0	133.0	234.5	307.0
DN150	160.5	160.2	86.0	186.0	152.0	262.0	338.0
DN200	225.7	225.3	120.0	261.0	205.0	365.5	468.0
DN250	281.5	280.0	146.5	308.5	272.0	446.0	584.0
DN300	316.4	315.0	164.0	347.5	305.0	504.0	660.0



正三通Tee(SxSxT)

DIN


Nominal	Outside Dia	Socket Type			Structural Diameter			
Size	D	d1	d2	l	d	H	L	PT(牙数/寸)
DN15	27.0	20.3	20.1	16.0	17.0	40.0	56.0	14.0
DN20	33.0	25.3	25.1	19.0	23.0	49.5	66.0	14.0
DN25	41.0	32.3	32.1	22.0	29.0	61.0	81.0	11.0
DN32	50.0	40.3	40.1	26.0	37.0	73.5	96.0	11.0
DN40	61.0	50.3	50.1	32.0	47.0	88.0	118.0	11.0
DN50	76.5	63.3	63.1	38.0	60.0	107.5	143.0	11.0



异径三通Reducing Tee(SxSxS)


ANSI

Nominal	Outside Dia	Socket Type						Structural Diameter			
Size	D	d1	d2	l1	d3	d4	l2	d	d0	H	L
3/4"×3/4"×1/2"	35.00	26.87	26.57	27.00	21.54	21.23	24.00	22.00	16.00	57.00	78.00
1"×1"×1/2"	44.00	33.65	33.27	30.00	21.54	21.23	24.00	30.00	16.00	65.00	90.00
1"×1"×3/4"	44.00	33.65	33.27	30.00	26.87	26.57	27.00	30.00	22.00	68.00	90.00
1-1/4"×1-1/4"×1/2"	54.00	42.42	42.04	34.00	21.54	21.23	24.00	38.00	16.00	74.00	106.00
1-1/4"×1-1/4"×3/4"	54.00	42.42	42.04	34.00	26.87	26.57	27.00	38.00	22.00	77.00	106.00
1-1/4"×1-1/4"×1"	54.00	42.42	42.04	34.00	33.65	33.27	30.00	38.00	30.00	80.00	106.00
1-1/2"×1-1/2"×1/2"	60.00	48.56	48.11	37.00	21.54	21.23	24.00	43.00	16.00	79.50	120.00
1-1/2"×1-1/2"×3/4"	60.00	48.56	48.11	37.00	26.87	26.57	27.00	43.00	22.00	82.50	120.00
1-1/2"×1-1/2"×1"	60.00	48.56	48.11	37.00	33.65	33.27	30.00	43.00	30.00	85.50	120.00
1-1/2"×1-1/2"×1-1/4"	60.00	48.56	48.11	37.00	42.42	42.04	34.00	43.00	38.00	90.50	120.00
2"×2"×1/2"	73.00	60.63	60.17	41.00	21.54	21.23	24.00	54.00	16.00	91.50	135.00
2"×2"×3/4"	73.00	60.63	60.17	41.00	26.87	26.57	27.00	54.00	22.00	94.50	135.00
2"×2"×1"	73.00	60.63	60.17	41.00	33.65	33.27	30.00	54.00	30.00	97.50	135.00
2"×2"×1-1/4"	73.00	60.63	60.17	41.00	42.42	42.04	34.00	54.00	38.00	101.50	135.00
2"×2"×1-1/2"	73.00	60.63	60.17	41.00	48.56	48.11	37.00	54.00	43.00	105.50	135.00
2-1/2"×2-1/2"×1/2"	88.00	73.38	72.85	46.50	21.54	21.23	24.00	67.00	16.00	105.50	159.00
2-1/2"×2-1/2"×3/4"	88.00	73.38	72.85	46.50	26.87	26.57	27.00	67.00	22.00	108.50	159.00
2-1/2"×2-1/2"×1"	88.00	73.38	72.85	46.50	33.65	33.27	30.00	67.00	30.00	111.50	159.00
2-1/2"×2-1/2"×1-1/4"	88.00	73.38	72.85	46.50	42.42	42.04	34.00	67.00	38.00	115.50	159.00
2-1/2"×2-1/2"×1-1/2"	88.00	73.38	72.85	46.50	48.56	48.11	37.00	67.00	43.00	118.50	159.00
2-1/2"×2-1/2"×2"	88.00	73.38	72.85	46.50	60.63	60.17	41.00	67.00	54.00	123.50	159.00
3"×3"×1"	105.50	89.31	88.70	50.00	33.65	33.27	30.00	82.00	30.00	127.75	179.00
3"×3"×1-1/4"	105.50	89.31	88.70	50.00	42.42	42.04	34.00	82.00	38.00	131.75	179.00
3"×3"×1-1/2"	105.50	89.31	88.70	50.00	48.56	48.11	37.00	82.00	43.00	134.75	179.00
3"×3"×2"	105.50	89.31	88.70	50.00	60.63	60.17	41.00	82.00	54.00	138.75	179.00
3"×3"×2-1/2"	105.50	89.31	88.70	50.00	73.38	72.85	46.50	82.00	67.00	145.25	179.00
4"×4"×1"	133.00	114.76	114.10	60.00	33.65	33.27	30.00	106.00	30.00	153.50	214.00
4"×4"×1-1/4"	133.00	114.76	114.10	60.00	42.42	42.04	34.00	106.00	38.00	157.50	214.00
4"×4"×1-1/2"	133.00	114.76	114.10	60.00	48.56	48.11	37.00	106.00	43.00	160.50	214.00
4"×4"×2"	133.00	114.76	114.10	60.00	60.63	60.17	41.00	106.00	54.00	164.50	214.00
4"×4"×2-1/2"	133.00	114.76	114.10	60.00	73.38	72.85	46.50	106.00	67.00	171.00	214.00
4"×4"×3"	133.00	114.76	114.10	60.00	89.31	88.70	50.00	106.00	82.00	174.50	214.00
6"×6"×1"	191.00	168.83	168.00	79.00	33.65	33.27	30.00	158.00	30.00	220.00	311.00
6"×6"×2"	191.00	168.83	168.00	79.00	60.63	60.17	39.00	158.00	54.00	220.50	311.00
6"×6"×3"	191.00	168.83	168.00	79.00	89.31	88.71	50.00	158.00	82.00	230.50	311.00
6"×6"×4"	191.00	168.83	168.00	79.00	114.76	114.10	60.00	158.00	106.00	243.00	311.00
6"×6"×5"	191.00	168.83	168.00	79.00	141.81	141.00	68.00	158.00	133.00	250.50	311.00



异径三通Reducing Tee(SxSxS)


DIN										
Nominal	Outside Dia	Socket Type						Structural Diameter		
Size	D	d1	d2	l1	d3	d4	l2	d	d0	H
DN20*DN20*DN15	33.00	25.30	25.10	20.00	20.30	20.10	17.00	23.00	17.00	49.00
DN25*DN25*DN15	41.00	32.30	32.10	23.00	20.30	20.10	17.00	29.00	17.00	56.00
DN25*DN25*DN20	41.00	32.30	32.10	23.00	25.30	25.10	20.00	29.00	23.00	59.00
DN32*DN32*DN15	50.00	40.30	40.10	28.00	20.30	20.10	17.00	37.00	17.00	64.50
DN32*DN32*DN20	50.00	40.30	40.10	28.00	25.30	25.10	20.00	37.00	23.00	67.50
DN32*DN32*DN25	50.00	40.30	40.10	28.00	32.30	32.10	23.00	37.00	29.00	68.50
DN40*DN40*DN15	62.00	50.30	50.10	32.00	20.30	20.10	17.00	47.00	17.00	75.50
DN40*DN40*DN20	62.00	50.30	50.10	32.00	25.30	25.10	20.00	47.00	23.00	78.50
DN40*DN40*DN25	62.00	50.30	50.10	32.00	32.30	32.10	23.00	47.00	29.00	79.50
DN40*DN40*DN32	62.00	50.30	50.10	32.00	40.30	40.10	28.00	47.00	37.00	84.50
DN50*DN50*DN15	76.00	63.30	63.10	38.00	20.30	20.10	17.00	60.00	17.00	89.00
DN50*DN50*DN20	76.00	63.30	63.10	38.00	25.30	25.10	20.00	60.00	23.00	92.00
DN50*DN50*DN25	76.00	63.30	63.10	38.00	32.30	32.10	23.00	60.00	29.00	93.00
DN50*DN50*DN32	76.00	63.30	63.10	38.00	40.30	40.10	28.00	60.00	37.00	98.00
DN50*DN50*DN40	76.00	63.30	63.10	38.00	50.30	50.10	32.00	60.00	47.00	102.00
DN65*DN65*DN25	92.00	75.30	75.10	45.00	32.30	32.10	23.00	72.00	29.00	109.00
DN65*DN65*DN32	92.00	75.30	75.10	45.00	40.30	40.10	28.00	72.00	37.00	114.00
DN65*DN65*DN40	92.00	75.30	75.10	45.00	50.30	50.10	32.00	72.00	47.00	118.00
DN65*DN65*DN50	92.00	75.30	75.10	45.00	63.30	63.10	38.00	72.00	60.00	124.00
DN80*DN80*DN25	110.60	90.30	90.10	51.00	32.30	32.10	23.00	87.10	29.00	125.80
DN80*DN80*DN32	110.60	90.30	90.10	51.00	40.30	40.10	28.00	87.10	37.00	130.80
DN80*DN80*DN40	110.60	90.30	90.10	51.00	50.30	50.10	32.00	87.10	47.00	134.80
DN80*DN80*DN50	110.60	90.30	90.10	51.00	63.30	63.10	38.00	87.10	60.00	140.80
DN80*DN80*DN65	110.60	90.30	90.10	51.00	75.30	75.10	45.00	87.10	72.00	147.80
DN100*DN100*DN25	127.00	110.40	110.10	61.00	32.30	32.10	23.00	106.10	29.00	144.50
DN100*DN100*DN32	127.00	110.40	110.10	61.00	40.30	40.10	28.00	106.10	37.00	149.50
DN100*DN100*DN40	127.00	110.40	110.10	61.00	50.30	50.10	32.00	106.10	47.00	153.50
DN100*DN100*DN50	127.00	110.40	110.10	61.00	63.30	63.10	38.00	106.10	60.00	159.50
DN100*DN100*DN65	127.00	110.40	110.10	61.00	75.30	75.10	45.00	106.10	72.00	166.50
DN100*DN100*DN80	127.00	110.40	110.10	61.00	90.30	90.10	51.00	106.10	87.10	172.50



45°弯头Elbow(SxS)

ANSI						
Nominal	Outside Dia	Socket Type			Structural Diameter	
Size	D	d1	d2	l	d	J
1/2"	30.00	21.54	21.23	24.00	16.00	6.50
3/4"	35.00	26.87	26.57	27.00	22.00	8.00
1"	44.00	33.65	33.27	30.00	30.00	8.00
1-1/4"	54.00	42.42	42.04	34.00	38.00	10.00
1-1/2"	60.00	48.56	48.11	37.00	43.00	12.00
2"	73.00	60.63	60.17	41.00	54.00	16.00
2-1/2"	88.00	73.38	72.85	46.50	67.00	18.00
3"	105.00	89.31	88.70	50.00	82.00	19.50
4"	132.00	114.76	114.10	60.00	106.00	26.00
5"	162.00	141.81	141.00	77.00	133.00	35.00
6"	191.00	168.83	168.00	79.00	158.00	45.00
8"	246.00	219.84	218.70	102.00	200.00	51.00
10" (手工件)	304.00	273.81	272.67	148.00	240.00	58.00
12" (手工件)	360.00	324.61	323.47	168.00	290.00	64.00


Note: Dimensions for handmade fittings shall per actual ones.
备注：手工件请以实物为准



45°弯头Elbow(SxS)


DIN					
Nominal	Socket Type			Structural Diameter	
Size	d1	d2	l	D	d
DN15	20.3	20.1	16.0	27.0	17.0
DN20	25.3	25.1	19.0	33.0	23.0
DN25	32.3	32.1	22.0	41.0	29.0
DN32	40.3	40.1	26.0	50.0	37.0
DN40	50.3	50.1	32.0	61.0	47.0
DN50	63.3	63.1	38.0	76.5	60.0
DN65	75.3	75.1	44.0	92.0	72.1
DN80	90.3	90.1	49.5	110.6	87.1
DN100	110.4	110.1	61.0	133.0	106.1
DN125	140.5	140.2	77.0	162.0	133.0
DN150	160.5	160.2	86.0	186.0	154.0
DN200	225.7	225.3	119.0	261.0	205.0
DN250 (手工件)	250.8	250.3	148.0	290.0	239.0
DN300 (手工件)	316.0	315.4	168.0	364.0	304.0

Note: Dimensions for handmade fittings shall per actual ones.
备注：手工件请以实物为准



45°弯头Elbow(SxT)

DIN						
Nominal	Socket Type			Structural Diameter		
Size	d1	d2	l	D	d	PT/BSPF (n/in)
DN15	20.3	20.1	16.0	27.0	17.0	14.0
DN20	25.3	25.1	19.0	33.0	23.0	14.0
DN25	32.3	32.1	22.0	41.0	29.0	11.0
DN32	40.3	40.1	26.0	50.0	37.0	11.0
DN40	50.3	50.1	32.0	61.0	47.0	11.0
DN50	63.3	63.1	38.0	76.5	60.0	11.0




90°弯头Elbow(SxS)

ANSI




Nominal	Outside Dia	Socket Type			Structural Diameter	
Size	D	d1	d2	l	d	L
1/2"	30.00	21.54	21.23	24.00	16.00	52.00
3/4"	35.00	26.87	26.57	27.00	22.00	59.50
1"	44.00	33.65	33.27	29.00	30.00	69.00
1-1/4"	54.00	42.42	42.04	34.00	38.00	84.00
1-1/2"	60.00	48.56	48.11	36.00	44.00	92.00
2"	73.00	60.63	60.17	39.00	54.00	107.50
2-1/2"	88.00	73.38	72.85	46.50	67.00	129.50
3"	105.00	89.31	88.70	50.00	82.00	149.50
4"	132.00	114.76	114.10	60.00	106.00	185.00
5"	162.00	141.81	141.00	77.00	133.00	234.50
6"	191.00	168.83	168.00	79.00	158.00	263.50
8"	246.00	219.84	218.70	102.00	200.00	340.00
10"	304.80	273.81	272.67	128.00	265.00	425.40
12"	361.00	324.61	323.47	153.00	313.50	508.50



90°弯头Elbow(SxS)

DIN


Nominal	Socket Type			Structural Diameter		
Size	d1	d2	l	D	d	L
DN15	20.3	20.1	16.0	27.0	17.0	41.5
DN20	25.3	25.1	19.0	33.0	23.0	49.5
DN25	32.3	32.1	22.0	41.0	29.0	61.0
DN32	40.3	40.1	26.0	50.0	37.0	73.5
DN40	50.3	50.1	32.0	61.0	47.0	88.0
DN50	63.3	63.1	38.0	76.5	60.0	107.5
DN65	75.3	75.1	44.0	92.0	72.0	132.5
DN80	90.3	90.1	51.0	110.6	87.1	155.8
DN100	110.4	110.1	61.0	133.0	106.1	187.5
DN125	140.5	140.2	77.0	162.0	133.0	234.5
DN150	160.5	160.2	86.0	186.0	154.0	262.0
DN200	225.7	225.3	119.0	261.0	205.0	364.5
DN250	281.5	280.0	146.5	308.5	272.0	446.0
DN300	316.4	315.0	164.0	347.50	305.0	503.8



90°弯头Elbow (SxT)

ANSI


Nominal	Outside Dia	Socket Type			Structural Diameter		
Size	D	d1	d2	l	d	L	NPT(牙数/寸)
1/2"	30.00	21.54	21.23	24.00	16.00	52.00	14.00
3/4"	35.00	26.87	26.57	27.00	22.00	59.50	14.00
1"	44.00	33.65	33.27	30.00	30.00	69.00	11.50
1-1/4"	54.00	42.42	42.04	34.00	38.00	84.00	11.50
1-1/2"	60.00	48.56	48.11	37.00	44.00	92.00	11.50
2"	73.00	60.63	60.17	41.00	54.00	107.50	11.50



90°弯头Elbow (SxT)

DIN


Nominal	Outside Dia	Socket Type			Structural Diameter		
Size	D	d1	d2	l	d	L	PT(牙数/寸)
DN15	27	20.3	20.1	16	17	41.5	14
DN20	33	25.3	25.1	19	23	49.5	14
DN25	41	32.3	32.1	22	29	61	11
DN32	50	40.3	40.1	26	37	73.5	11
DN40	61	50.3	50.1	32	47	88	11
DN50	76.5	63.3	63.1	38	60	107.5	11



90°弯头Elbow (TxT)

ANSI


Nominal	Outside Dia	Structural Diameter		
Size	D	d	L	NPT(牙数/寸)
1/2"	30.0	16.0	52.0	14.0
3/4"	35.0	22.0	59.5	14.0
1"	44.0	30.0	69.0	11.5
1-1/4"	54.0	38.0	84.0	11.5
1-1/2"	60.0	44.0	92.0	11.5
2"	73.0	54.0	107.5	11.5



90°弯头Elbow (TxT)

DIN




Nominal	Outside Dia	Structural Diameter			
Size	D	d	L	PT(牙数/寸)	
DN15	27.0	17.0	41.5	14.0	
DN20	33.0	23.0	49.5	14.0	
DN25	41.0	29.0	61.0	11.0	
DN32	50.0	37.0	73.5	11.0	
DN40	61.0	47.0	88.0	11.0	
DN50	76.5	60.0	107.5	11.0	



卜申Reducing Bushing (SxS)

DIN

Nominal	Outside Dia	Socket Type			Structural Diameter			图示
Size	D	d1	d2	l	d	L1	L	
DN20*DN15	25.0	20.3	20.1	16.0	16.0	—	20.0	Pic.1
DN25*DN15	32.0	20.3	20.1	16.0	16.0	24.0	29.0	Pic.2
DN25*DN20	32.0	25.3	25.1	20.0	21.0	—	24.0	Pic.1
DN32*DN15	40.0	20.3	20.1	16.0	16.0	26.0	35.0	Pic.2
DN32*DN20	40.0	25.3	25.1	19.0	21.0	26.0	35.0	Pic.1
DN32*DN25	40.0	32.3	32.1	23.0	28.0	—	28.0	
DN40*DN15	50.0	20.3	20.1	16.0	16.0	31.0	40.0	
DN40*DN20	50.0	25.3	25.1	19.0	21.0	31.0	40.0	
DN40*DN25	50.0	32.3	32.1	23.0	28.0	31.0	40.0	Pic.2
DN40*DN32	50.0	40.3	40.1	28.0	36.0	—	32.0	
DN50*DN15	63.0	20.3	20.1	16.0	16.0	37.0	50.0	Pic.1
DN50*DN20	63.0	25.3	25.1	19.0	21.0	37.0	50.0	
DN50*DN25	63.0	32.3	32.1	23.0	28.0	37.0	50.0	
DN50*DN32	63.0	40.3	40.1	26.5	35.0	37.0	50.0	
DN50*DN40	63.0	50.3	50.1	32.0	46.0	—	38.0	Pic.1
DN65*DN50	75.0	63.3	63.1	38.0	57.0	—	42.0	Pic.1
DN80*DN50	90.0	63.3	63.1	38.0	57.0	51.0	61.0	Pic.2
DN80*DN65	90.0	75.3	75.1	45.0	71.0	51.0	61.0	
DN100*DN50	110.0	63.3	63.0	38.0	57.0	61.0	73.0	
DN100*DN80	110.0	90.3	90.1	51.0	86.0	61.0	73.0	
DN125*DN50	140.0	63.3	63.1	39.0	50.0	76.0	91.0	Pic.1
DN125*DN80	140.0	90.3	90.1	51.0	80.0	76.0	91.0	
DN125*DN100	140.0	110.4	110.1	61.0	100.0	76.0	91.0	
DN150*DN80	160.0	90.3	90.1	51.0	80.0	86.0	101.0	
DN150*DN100	160.0	110.4	110.1	61.0	100.0	86.0	101.0	Pic.2
DN150*DN125	160.0	140.5	140.2	76.0	125.0	86.0	101.0	
DN200*DN100	225.0	110.4	110.1	61.0	100.0	119.0	137.0	
DN200*DN125	225.0	140.5	140.2	76.0	125.0	119.0	137.0	
DN200*DN150	225.0	160.5	160.2	86.0	150.0	119.0	137.0	Pic.1
DN250*DN100	280.0	110.4	110.1	61.0	100.0	146.0	166.0	
DN250*DN150	280.0	160.5	160.2	86.0	150.0	146.0	166.0	
DN250*DN200	280.0	225.7	225.3	119.0	200.0	146.0	166.0	
DN300*DN150	315.0	160.5	160.2	86.0	150.0	163.5	183.5	Pic.2
DN300*DN200	315.0	225.7	225.3	119.0	200.0	163.5	183.5	
DN300*DN250	315.0	316.4	315.0	164.0	250.0	163.5	183.5	




卜申Reducing Bushing (SxS)

ANSI

NSF


Nominal	Socket Type			Structural Diameter			
Size	d1	d2	l	D	d	L1	L
1/2**1/4"	14.02	13.61	19.00	21.34	10.00	24.00	29.00
1/2**3/8"	17.45	17.04	22.00	21.34	12.00	24.00	29.00
3/4**1/2"	21.54	21.23	24.00	26.67	17.00	27.00	33.00
1**3/8"	17.45	17.04	22.00	33.40	12.00	30.00	36.00
1**1/2"	21.54	21.23	24.00	33.40	17.00	30.00	36.00
1**3/4"	26.87	26.57	27.00	33.40	22.50	30.00	36.00
1-1/4**1/2"	21.54	21.23	24.00	42.16	17.00	34.00	42.00
1-1/4**3/4"	26.87	26.57	27.00	42.16	22.50	34.00	42.00
1-1/4**1"	33.65	33.27	30.00	42.16	28.00	34.00	42.00
1-1/2**1/2"	21.54	21.23	24.00	48.26	17.00	37.00	45.00
1-1/2**3/4"	26.87	26.57	27.00	48.26	22.50	37.00	45.00
1-1/2**1"	33.65	33.27	30.00	48.26	28.00	37.00	45.00
1-1/2**1-1/4"	42.42	42.04	34.00	48.26	38.00	37.00	45.00
2**1/2"	21.54	21.23	24.00	60.33	17.00	41.00	53.00
2**3/4"	26.87	26.57	27.00	60.33	22.50	41.00	53.00
2**1"	33.65	33.27	30.00	60.33	28.00	41.00	53.00
2**1-1/4"	42.42	42.04	34.00	60.33	38.00	41.00	53.00
2**1-1/2"	48.56	48.11	37.00	60.33	42.00	41.00	53.00
2-1/2**1-1/2"	48.56	48.11	37.00	73.03	44.00	46.50	56.50
2-1/2**2"	60.63	60.17	41.00	73.03	54.00	46.50	56.50
3**1"	33.65	33.27	30.00	88.90	28.00	50.00	60.00
3**1-1/2"	48.56	48.11	37.00	88.90	42.00	50.00	60.00
3**2"	60.63	60.17	41.00	88.90	54.00	50.00	60.00
3**2-1/2"	73.38	72.85	46.50	88.90	66.00	50.00	60.00
4**2"	60.63	60.17	41.00	114.30	54.00	60.00	72.00
4**2-1/2"	73.38	72.85	46.50	114.30	65.00	60.00	72.00
4**3"	89.31	88.70	50.00	114.30	80.00	60.00	72.00
5**2"	60.63	60.17	39.00	141.30	55.00	66.80	81.80
5**3"	89.31	88.70	51.00	141.30	80.00	66.80	81.80
5**4"	114.76	114.10	61.00	141.30	100.00	66.80	81.80
6**3"	89.31	88.70	51.00	168.28	80.00	79.00	94.00
6**4"	114.76	114.10	61.00	168.28	100.00	79.00	94.00
6**5"	141.81	141.00	76.00	168.28	125.00	79.00	94.00
8**4"	114.76	114.10	61.00	219.10	100.00	102.00	120.00
8**5"	141.81	141.00	76.00	219.10	125.00	102.00	120.00
8**6"	168.83	168.00	86.00	219.10	150.00	102.00	120.00
10**4"	114.76	114.10	61.00	273.50	100.00	128.00	148.00
10**6"	168.83	168.00	86.00	273.50	150.00	128.00	148.00
10**8"	219.84	218.69	119.00	273.50	200.00	128.00	148.00
12**6"	168.83	168.00	79.00	323.85	150.00	152.50	172.50
12**8"	219.84	218.70	103.00	323.85	200.00	152.50	172.50
12**10"	273.81	272.67	128.00	323.85	250.00	152.50	172.50



卜申Reducing Bushing (SxT)

ANSI


Nominal	Outside Dia	Structural Diameter			
Size	D	d	L1	L	NPT(牙数/寸)
1/2**1/4"	21.34	7.00	24.00	29.00	18.00
1/2**3/8"	21.34	12.00	24.00	29.00	18.00
3/4**1/2"	26.67	16.00	27.00	33.00	14.00
1**3/8"	33.40	12.00	30.00	36.00	18.00
1**1/2"	33.40	16.00	30.00	36.00	14.00
1**3/4"	33.40	21.00	30.00	36.00	14.00



卜申Reducer Bushing (SxT)

DIN


Nominal	Outside Dia	Structural Diameter			
Size	D	d	L1	L	PT(牙数/寸)
DN15*PT1/4"	20	7.0	17.0	22.0	19
DN20*PT1/2"	25	16.0	20.0	26.0	14
DN25*PT1/2"	32	16.0	23.5	29.5	14
DN25*PT3/4"	32	21.0	23.5	29.5	14



管帽Cap

ANSI


Nominal	Outside Dia	Socket Type			Structural Diameter
Size	D	d1	d2	I	L
1/2"	30.00	21.54	21.23	24.00	28.50
3/4"	35.00	26.87	26.57	27.00	31.50
1"	43.50	33.65	33.27	30.00	35.00
1-1/4"	53.00	42.42	42.04	33.00	38.50
1-1/2"	60.00	48.56	48.11	37.00	43.00
2"	73.00	60.63	60.17	40.00	46.00
2-1/2"	92.00	73.38	72.85	47.00	55.50
3"	110.60	89.31	88.70	52.50	62.50
4"	133.00	114.76	114.10	63.00	72.00
5"	162.00	141.81	141.00	67.00	94.00
6"	191.50	168.83	168.00	77.00	106.00



管帽Cap

DIN


Nominal	Outside Dia	Socket Type			Structural Diameter
Size	D	d1	d2	I	L
DN15	27.0	20.3	20.1	19.9	24.0
DN20	32.0	25.3	25.1	24.3	28.3
DN25	40.0	32.3	32.1	28.0	32.0
DN32	50.0	40.3	40.1	32.0	37.0
DN40	63.0	50.3	50.1	35.7	41.3
DN50	75.0	63.3	63.1	42.0	48.0
DN65	92.0	75.3	75.1	47.0	55.5
DN80	110.6	90.3	90.1	52.5	62.5
DN100	133.0	110.4	110.1	63.0	72.0
DN125	162.0	140.5	140.2	77.0	94.0
DN150	191.5	160.5	160.2	86.0	106.0



双片法兰 Van Stone Flange

ANSI


Size	D	D1	C	d	d1	d2	H	T	I	n-Φe
1/2"	87.00	30.00	60.30	15.00	21.54	21.23	26.00	14.00	22.00	4-16
3/4"	98.00	35.00	70.00	20.00	26.87	26.57	29.00	15.00	25.00	4-16
1"	108.00	43.00	79.40	25.00	33.66	33.27	32.00	16.00	26.00	4-16
1-1/4"	117.00	53.00	88.90	32.00	42.42	42.04	36.00	18.00	32.00	4-16
1-1/2"	128.00	62.00	98.00	40.00	48.56	48.11	39.00	19.00	35.00	4-16
2"	155.50	76.00	121.00	50.00	60.63	60.17	43.00	21.00	38.00	4-19
2-1/2"	178.00	92.00	140.00	65.00	73.38	72.85	53.00	25.00	46.50	4-19
3"	192.00	110.60	152.00	75.00	89.31	88.70	59.00	27.00	51.00	4-19
4"	230.00	132.00	191.20	97.00	114.76	114.10	73.00	29.00	61.00	8-19
5"	256.00	161.80	216.00	129.00	141.81	141.00	77.50	31.00	69.40	8-22
6"	285.00	191.00	241.00	156.00	168.83	168.00	88.00	33.00	79.00	8-22
8"	343.00	243.00	298.00	204.00	219.84	218.70	118.00	36.00	102.00	8-22
10"	406.40	308.00	362.00	256.00	273.81	272.67	151.00	42.00	127.50	12-25
12"	483.00	364.00	432.00	305.00	324.61	323.47	190.00	42.00	165.00	12-25



双片法兰 Van Stone Flange

DIN


Size	D	D1	C	d	d1	d2	H	T	l	n-Φe
1/2"	95.0	30.0	65.0	15.0	20.3	20.1	26.0	14.0	22.0	4-15
3/4"	105.0	35.0	75.0	20.0	25.3	25.1	29.0	16.0	25.0	4-15
1"	115.0	43.0	85.0	25.0	32.3	32.1	32.0	16.0	26.0	4-15
1-1/4"	140.0	53.0	100.0	32.0	40.3	40.1	36.0	18.0	32.0	4-19
1-1/2"	150.0	62.0	110.0	40.0	50.3	50.1	39.0	18.0	35.0	4-19
2"	165.0	76.0	125.0	50.0	63.3	63.1	43.0	20.0	38.0	4-19
2-1/2"	185.0	92.0	145.0	65.0	75.3	75.1	53.0	25.0	46.5	4-19
3"	200.0	110.6	160.0	75.0	90.3	90.1	59.0	27.0	51.0	8-19
4"	220.0	132.0	180.0	97.0	110.4	110.1	73.0	29.0	61.0	8-19
5"	256.0	161.8	210.0	129.0	140.5	140.2	77.5	31.0	69.4	8-19
6"	285.0	191.0	240.0	156.0	160.5	160.2	88.0	33.0	79.0	8-23
8"	343.0	248.0	298.0	204.0	225.7	225.3	131.0	36.0	119.0	8-23
10"	395.0	275.0	350.0	225.0	250.8	250.3	141.0	32.0	131.5	12-23
12"	445.0	346.0	400.0	300.0	316.0	315.4	190.0	42.0	165.0	12-23



盲法兰 Blind Flange

ANSI


Size	D	D1	d	C	H	T	n-Φe
1/2"	87.0	36.0	15.0	60.3	0.5	17.5	4-16
3/4"	98.0	41.0	20.0	70.0	0.5	19.0	4-16
1"	108.0	51.0	25.0	79.4	0.8	20.8	4-16
1-1/4"	117.0	61.0	32.0	88.9	1.0	23.0	4-16
1-1/2"	128.0	72.0	40.0	98.0	1.0	23.0	4-16
2"	155.5	86.0	50.0	121.0	1.0	26.5	4-19
2-1/2"	178.0	102.0	65.0	140.0	1.0	31.0	4-19
3"	192.0	120.0	80.0	152.0	1.0	33.0	4-19
4"	230.0	142.0	100.0	191.2	1.0	35.0	8-19
6"	280.0	215.9	150.0	241.3	1.6	25.4	8-23.0
8"	343.0	269.7	200.0	298.5	1.6	28.4	8-23.5



盲法兰 Blind Flange


DIN

Size	D	D1	d	C	H	T	n-Φe
1/2"	95.0	36.0	15.0	65.0	0.5	17.5	4-15
3/4"	105.0	41.0	20.0	75.0	0.5	19.0	4-15
1"	115.0	51.0	25.0	85.0	0.8	20.8	4-15
1-1/4"	140.0	61.0	32.0	100.0	1.0	23.0	4-19
1-1/2"	150.0	72.0	40.0	110.0	1.0	23.0	4-19
2"	165.0	86.0	50.0	125.0	1.0	26.5	4-19
2-1/2"	185.0	102.0	65.0	145.0	1.0	31.0	4-19
3"	200.0	120.0	80.0	160.0	1.0	33.0	8-19
4"	220.0	142.0	100.0	180.0	1.0	35.0	8-19
6"	280.0	215.9	150.0	241.3	1.6	25.4	8-23.0
8"	343.0	269.7	200.0	298.5	1.6	28.4	8-23.5



单片式法兰及表格 T/S Flange


DIN														
Size	D	D1	C		d	d1		d2		H	T	I	n-Φe	
			DIN	JIS		DIN	JIS	DIN	JIS				DIN	JIS
1/2"	95	32	65	70	15	20.30	22.40	20.10	21.73	35	14	32	4-15	4-15
3/4"	105	35	75	75	20	25.30	26.45	25.10	25.69	40	15	37	4-15	4-15
1"	125	42	85	90	25	32.30	32.55	32.10	31.70	45	16	40	4-15	4-19
1-1/4"	140	52	100	100	32	40.30	38.60	40.10	37.65	49	16	44	4-19	4-19
1-1/2"	150	62	110	105	43	50.30	48.70	50.10	47.74	59	18	54	4-19	4-19
2"	165	76	125	120	55	63.30	60.80	63.10	59.78	66	20	61	4-19	4-19
2-1/2"	185	90	145	140	65	75.30	76.60	75.10	75.68	70	22	61	4-19	4-19
3"	200	108	160	150	80	90.30	89.60	90.10	88.55	73	22	65	8-19	8-19
4"	220	132	180	175	100	110.40	114.70	110.10	113.60	93	22	84	8-19	8-19
5"	250	162	210	210	125	140.50	140.85	140.20	139.64	114	24	103	8-19	8-23
6"	285	187	240	240	150	160.50	166.00	160.20	164.63	142	26	130	8-23	8-23
10"	395	309	350	—	250	280.90	—	280.30	—	156	28	147	12-23	—



Size	C (中心圆)					n-Φe (孔数、螺孔数)					螺丝规格-螺丝数					d
	JIS	CNS	DIN	ANSI	BS	JIS	CNS	DIN	ANSI	BS	JIS	CNS	DIN	ANSI	BS	
1/2"	70.00	70.00	65.00	60.30	66.70	15-4	15-4	14-4	16-4	16-4	M12-4	M12-4	M12-4	W1/2-4	W1/2-4	15
3/4"	75.00	75.00	75.00	70.00	73.00	15-4	15-4	14-4	16-4	16-4	M12-4	M12-4	M12-4	W1/2-4	W1/2-4	20
1"	90.00	90.00	85.00	79.40	82.60	19-4	19-4	14-4	16-4	16-4	M16-4	M16-4	M12-4	W1/2-4	W1/2-4	25
1-1/4"	100.00	100.00	100.00	88.90	87.30	19-4	19-4	18-4	16-4	16-4	M16-4	M16-4	M16-4	W1/2-4	W1/2-4	32
1-1/2"	105.00	105.00	110.00	98.40	98.40	19-4	19-4	18-4	16-4	16-4	M16-4	M16-4	M16-4	W1/2-4	W1/2-4	40
2"	120.00	120.00	125.00	120.70	114.30	19-4	19-4	18-4	19-4	19-4	M16-4	M16-4	M16-4	W5/8-4	W5/8-4	50
2-1/2"	140.00	140.00	145.00	139.50	127.00	19-4	19-4	18-4	19-4	19-4	M16-4	M16-4	M16-4	W5/8-4	W5/8-4	65
3"	150.00	150.00	160.00	152.40	146.10	19-8	19-8	18-8	19-4	19-4	M16-8	M16-8	M16-8	W5/8-4	W5/8-4	80
4"	175.00	175.00	180.00	190.50	177.80	19-8	19-8	18-8	19-8	19-8	M16-8	M16-8	M16-8	W5/8-8	W5/8-8	100
5"	210.00	210.00	210.00	215.90	209.60	23-8	23-8	18-8	22-8	19-8	M20-8	M20-8	M20-8	W3/4-8	W5/8-8	125
6"	240.00	240.00	240.00	241.50	235.00	23-8	23-8	23-8	22-8	22-8	M20-8	M20-8	M20-8	W3/4-8	W3/4-8	150
8"	290.00	290.00	295.00	298.50	292.10	23-12	23-12	23-8	22-8	22-8	M20-12	M20-12	M20-12	W3/4-8	W3/4-8	200
10"	355.00	355.00	350.00	362.00	355.60	25-12	25-12	23-12	25-12	25-12	M22-12	M22-12	M22-12	W7/8-12	W3/4-12	250
12"	400.00	400.00	400.00	431.80	406.40	25-16	25-16	23-12	25-12	25-12	M22-16	M22-16	M22-16	W7/8-12	W7/8-12	300

活接由令 Union


尺寸规格 (Dimension)															unit:mm	
Size	d	d1				d2				D	L		L1		ANSI/CNS	DIN
		ANSI	DIN	JIS	CNS	ANSI	DIN	JIS	CNS		ANSI/CNS	DIN	ANSI/CNS	DIN		
1/2"(15)	15	21.54	20.30	22.40	22.40	21.23	20.10	21.73	21.90	54.00	53.50	41.00	22.30	16.00		
3/4"(20)	20	26.87	25.30	26.45	26.40	26.57	25.10	25.69	25.90	63.00	60.00	47.50	25.50	19.00		
1"(25)	25	33.65	32.30	32.55	34.50	33.27	32.10	31.70	33.90	73.50	67.00	53.50	28.60	22.00		
1-1/4"(32)	32	42.42	40.30	38.60	42.50	42.04	40.10	37.65	41.90	84.50	76.00	63.00	32.00	26.00		
1-1/2"(40)	40	48.56	50.30	48.70	48.60	48.11	50.10	47.74	47.90	98.00	83.00	78.00	35.00	32.00		
2"(50)	50	60.63	63.30	60.80	60.60	60.17	63.10	59.78	59.90	119.00	90.00		38.00			
2-1/2"(65)	63	73.38	75.30	76.60	76.70	72.85	75.10	75.68	75.90	150.00	110.00		47.00			
3"(80)	75	89.31	90.40	89.60	89.70	88.70	90.10	88.55	88.90	169.00	127.00		51.00			
4"(100)	97	114.76	110.40	114.70	115.00	114.10	110.10	113.60	113.80	211.00	158.00		61.00			



44	O圈	EPDM/VITON	1
17	管接头	UPVC/CPVC/PP/PVDF	1
15	螺帽	UPVC/CPVC/PP/PVDF	1
01	活接本体	UPVC/CPVC/PP/PVDF	1
序号	名称	材料	数量 (PCS)


软管外牙接头 (Hose Adapter)

Size	Nominal			Structural Diameter											unit:mm	
	DN1	DN2	DN3	d	D1	D2	T	L1	L	W	PT(n/in)	NPT(n/in)				
1/4"	8	10	12	6	8	14	4	12.7	43.7	18	19	18				
1/2"	8	10	12	14	8	14	6	16.4	49.5	27.5	14	14				



双外牙接头 (Nipple)


Nominal Size	Structural Diameter								unit:mm	
	d	D	T	L1	L	W	PT(n/in)	NPT(n/in)		
1/4"	6	11	4	12.7	29.4	18	19	18		
1/2"	14	18.5	6	16.5	39	27.5	14	14		
3/4"	18	23.8	6	17.5	41	33	14	14		
1"	23	29.6	8	22	52	39.5	11	11.5		



鞍形接头Sampling Header (S)

DIN


Nominal Size(dn)	Outside Dia			Socket Type			Structural Diameter	
	D	D1	D2	d1	d2	l	d	L
32x20x16	32	20	16	16.3	16.1	14.5	10.0	36.37
32x25x20	32	25	20	20.3	20.1	16.5	14.0	38.5
40x20x16	40	20	16	16.3	16.1	14.5	10.0	34.2
40x25x20	40	25	20	20.3	20.1	16.5	14.0	39.78
40x32x25	40	32	25	25.3	25.1	19.0	18.0	42.63
50x20x16	50	20	16	16.3	16.1	14.5	10.0	32.92
50x25x20	50	25	20	20.3	20.1	16.5	14.0	37.3
50x32x25	50	32	25	25.3	25.1	19.0	18.0	46.23
50x40x32	50	40	32	32.3	32.1	22.5	24.0	50.08
63x20x16	63	20	16	16.3	16.1	14.5	10.0	32
63x25x20	63	25	20	20.3	20.1	16.5	14.0	35.75
63x32x25	63	32	25	25.3	25.1	19.0	18.0	42.81
63x40x32	63	40	32	32.3	32.1	22.5	24.0	52.36
63x50x40	63	50	40	40.3	40.1	26.5	31.5	56.88
75x20x16	75	20	16	16.3	16.1	14.5	10.0	31.48
75x25x20	75	25	20	20.3	20.1	16.5	14.0	34.91
75x32x25	75	32	25	25.3	25.1	19.0	18.0	41.22
75x40x32	75	40	32	32.3	32.1	22.5	24.0	49.12
75x50x40	75	50	40	40.3	40.1	26.5	31.5	62.46
75x63x50	75	63	50	50.3	50.1	31.5	38.0	69.76
90x20x16	90	20	16	16.3	16.1	14.5	10.0	31.03
90x25x20	90	25	20	20.3	20.1	16.5	14.0	34.22
90x32x25	90	32	25	25.3	25.1	19.0	18.0	40
90x40x32	90	40	32	32.3	32.1	22.5	24.0	46.91
90x50x40	90	50	40	40.3	40.1	26.5	31.5	57.54
90x63x50	90	63	50	50.3	50.1	31.5	38.0	72.67
90x75x63	90	75	63	63.3	63.1	38.0	48.0	90.3
110x20x16	110	20	16	16.3	16.1	14.5	10.0	30.64
110x25x20	110	25	20	20.3	20.1	16.5	14.0	33.62
110x32x25	110	32	25	25.3	25.1	19.0	18.0	38.96
110x40x32	110	40	32	32.3	32.1	22.5	24.0	45.17
110x50x40	110	50	40	40.3	40.1	26.5	31.5	54.3
110x63x50	110	63	50	50.3	50.1	31.5	38.0	66.69
110x75x63	110	75	63	63.3	63.1	38.0	48.0	80.18



鞍形接头Sampling Header (T)

DIN

Nominal Size	Outside Dia		Structural Diameter			
	D	D1	d	L	Threaded(n/in)	
					NPT	BSPF/PT
dn32x1/4"	32	20	10	36.37	18	19
dn32x3/8"	32	20	10	36.37	18	19
dn32x1/2"	32	25	14	38.5	14	14
dn40x1/4"	40	20	10	34.2	18	19
dn40x3/8"	40	20	10	34.2	18	19
dn40x1/2"	40	25	14	39.78	14	14
dn40x3/4"	40	32	18	42.63	14	14
dn50x1/4"	50	20	10	32.92	18	19
dn50x3/8"	50	20	10	32.92	18	19
dn50x1/2"	50	25	14	37.3	14	14
dn50x3/4"	50	32	18	46.23	14	14
dn50x1"	50	40	24	50.08	11.5	11
dn63x1/4"	63	20	10	32	18	19
dn63x3/8"	63	20	10	32	18	19
dn63x1/2"	63	25	14	35.75	14	14
dn63x3/4"	63	32	18	42.81	14	14
dn63x1"	63	40	24	52.36	11.5	11
dn75x1/4"	75	20	10	31.48	18	19
dn75x3/8"	75	20	10	31.48	18	19
dn75x1/2"	75	25	14	34.91	14	14
dn75x3/4"	75	32	18	41.22	14	14
dn75x1"	75	40	24	49.12	11.5	11
dn90x1/4"	90	20	10	31.03	18	19
dn90x3/8"	90	20	10	31.03	18	19
dn90x1/2"	90	25	14	34.22	14	14
dn90x3/4"	90	32	18	40	14	14
dn90x1"	90	40	24	46.91	11.5	11
dn110x1/4"	110	20	10	30.64	18	19
dn110x3/8"	110	20	10	30.64	18	19
dn110x1/2"	110	25	14	33.62	14	14
dn110x3/4"	110	32	18	38.96	14	14
dn110x1"	110	40	24	45.17	11.5	11



HT-CPVC

冷热水用管路系统-HT系列



SANKING
PARTNER FOR SOLUTIONS

铜牙直接头Brass Female Coupling(SxT).....
90度接头Brass Female Elbow(SxT)..... **45/46**
铜牙正三通Brass Female Tee(SxSxT).....
管Pipe (DIN)/(GB/T18998.2-2003)

ANSI-直接头Coupling (SxS)
ANSI-内牙直接Female Adapter (SxT) **47/48**
DIN-直接头Coupling (SxS)
ANSI-内牙直接Female Adapter (TxT)

DIN-异径直接 (大小头) Reducing Socket (SxS)
ANSI-外牙直接Male Adaptor (SxT)
ANSI-外牙直接Male Adaptor (SxT) **49/50**
DIN-内牙直接Coupling (SxT)
DIN-内牙直接Coupling (TxT)

ANSI-正三通Tee (SxSxS)
ANSI-正三通Tee (SxSxT) **51/52**
DIN-正三通Tee (SxSxS)
DIN-正三通Tee (SxSxT)

ANSI-异径三通Reducing Tee (SxSxS)
DIN-异径三通Reducing Tee (SxSxS) **53/54**

ANSI-45° 弯头45 Degree Elbow (SxS)
DIN-45° 弯头45 Degree Elbow (SxS) **55/56**
ANSI-90° 弯头90 Degree Elbow (SxS)
DIN-90° 弯头90 Degree Elbow (SxS)

ANSI-90° 弯头90 Degree Elbow (SxT)
DIN-90° 弯头90 Degree Elbow (SxT) **57/58**
ANSI-90° 弯头90 Degree Elbow (TxT)
DIN-90° 弯头90 Degree Elbow (TxT)
ANSI-卜串Reducing Bushing (SxS)

DIN-卜串Reducing Bushing (SxS)
ANSI-卜串Reducing Bushing (SxT) **59/60**
DIN-卜串Reducing Bushing (SxT)

ANSI-管帽Cap.....
DIN-管帽Cap.....
ANSI-双片法兰Van Stone Flange..... **61/62**
DIN-双片法兰Van Stone Flange.....
ANSI-盲法兰 Blind Flange.....

DIN-单片法兰及表格 Flange.....
活接由令Union..... **63/64**
竹节外牙直接Hose Adapter.....
双外牙直接Nipple


DIN-鞍形接头Sampling Header (S)
DIN-鞍形接头Sampling Header (T) **65/66**



铜牙直接头Brass Female Coupling (SxT)

DIN


Nominal	Socket Type			Structural Diameter					
Size	d1	d2	I	D	D1	d	L	PT(牙/寸)	
DN15	20.30	20.10	16.00	34.00	34.00	16.00	36.50	14	
DN20	25.30	25.10	19.00	42.00	33.00	20.00	41.00	14	
DN25	32.30	32.10	23.00	52.00	41.00	28.00	48.00	11	



铜牙正三通Brass Female Tee (SxSxT)

DIN


Nominal	Socket Type			Structural Diameter					
Size	d1	d2	I	D	D1	d	L	H	PT(牙/寸)
DN15	20.30	20.10	16.00	34.00	34.00	16.00	52.00	45	14
DN20	25.30	25.10	19.00	42.00	33.00	20.00	65.00	52	14
DN25	32.30	32.10	23.00	52.00	41.00	28.00	78.00	63	11



90度铜牙弯头Brass Female Elbow (SxT)


DIN

Nominal	Socket Type			Structural Diameter					
Size	d1	d2	I	D	D1	d	L	PT(牙/寸)	
DN15	20.30	20.10	16.00	34.00	27.00	16.00	45	14	
DN20	25.30	25.10	19.00	42.00	33.00	20.00	52	14	
DN25	32.30	32.10	23.00	52.00	41.00	28.00	63	11	



管Pipe (DIN)(GB/T18993.2-2003)


Nominal	Socket Type				
Size	D	Tolerance	T(min)	Tolerance	Pressure
DN15	20	+0.2	2.3	+0.5	S4
DN20	25	+0.2	2.3	+0.5	S5
DN25	32	+0.2	2.9	+0.5	S5
DN32	40	+0.2	3.7	+0.6	S5
DN40	50	+0.2	4.6	+0.7	S5
DN50	63	+0.3	4.7	+0.7	S6.3
DN65	75	+0.3	5.6	+0.8	S6.3
DN80	90	+0.3	6.7	+0.9	S6.3
DN100	110	+0.4	8.1	+1.1	S6.3
DN125	140	+0.5	10.3	+1.3	S6.3
DN150	160	+0.5	11.8	+1.4	S6.3



直接头Coupling(SxS)

ANSI


Nominal	Outside Dia	Socket Type			Structural Diameter	
Size	D	d1	d2	l	d	L
1/2"	30.00	21.54	21.23	24.00	16.00	52.00
3/4"	35.00	26.87	26.57	27.00	22.00	58.00
1"	44.00	33.65	33.27	30.00	30.00	64.00
1-1/4"	54.00	42.42	42.04	34.00	38.00	72.00
1-1/2"	60.00	48.56	48.11	37.00	43.00	78.00
2"	73.00	60.63	60.17	41.00	54.00	86.00
2-1/2"	88.00	73.38	72.85	46.50	67.00	98.00
3"	105.00	89.31	88.70	50.00	82.00	107.00
4"	132.00	114.76	114.10	60.00	106.00	126.00
5"	162.00	141.81	141.00	77.00	133.00	162.00
6"	193.00	168.83	168.00	79.00	158.00	168.00
8"	261.00	219.84	218.70	103.00	214.00	215.00
10"	305.80	273.81	272.67	128.00	265.00	266.00
12"	361.00	324.61	323.47	153.00	313.50	317.00



直接头Coupling(SxS)

DIN


Nominal	Socket Type			Structural Diameter		
Size	d1	d2	l	D	d	L
DN15	20.3	20.1	16.0	27.0	16.0	36.0
DN20	25.3	25.1	20.0	32.0	21.0	44.0
DN25	32.3	32.1	24.0	40.0	28.0	52.0
DN32	40.3	40.1	28.0	50.0	36.0	60.0
DN40	50.3	50.1	32.0	63.0	46.0	68.0
DN50	63.3	63.1	38.0	76.5	57.0	80.0
DN65	75.3	75.1	44.0	90.0	70.0	92.0
DN80	90.3	90.1	51.0	110.0	86.1	107.0
DN100	110.4	110.1	61.0	133.0	106.1	128.0
DN125	140.5	140.2	77.0	162.0	133.0	162.0
DN150	160.5	160.2	86.0	186.0	154.0	180.0
DN200	225.7	225.3	120.0	261.0	214.0	250.0
DN250	281.5	280.0	146.5	323.5	272.0	303.0
DN300	316.4	315.0	164.0	347.5	305.0	304.0



内牙直接Female Adapter(SxT)

ANSI


Nominal	Outside Dia	Socket Type			Structural Diameter		
Size	D	d1	d2	l	d	L	NPT(牙数/寸)
1/2"	30.00	21.54	21.23	24.00	13.20	52.00	14.00
3/4"	35.00	26.87	26.57	27.00	19.00	58.00	14.00
1"	44.00	33.65	33.27	30.00	24.00	64.00	11.50
1-1/4"	54.00	42.42	42.04	34.00	32.00	72.00	11.50
1-1/2"	60.00	48.56	48.11	37.00	38.00	78.00	11.50
2"	73.00	60.63	60.17	41.00	50.00	86.00	11.50
2-1/2"	88.00	73.38	72.85	46.50	67.00	98.00	8.0
3"	105.00	89.31	88.70	50.00	82.00	107.00	8.0
4"	132.00	114.76	114.10	60.00	106.00	126.00	8.0



内牙直接Female Adapter (TxT)


ANSI

Nominal	Outside Dia	Structural Diameter		
Size	D	d	L	NPT(牙数/寸)
1/2"	30.00	16.0	52.00	14.00
3/4"	35.00	22.0	58.00	14.00
1"	44.00	30.0	64.00	11.50
1-1/4"	54.00	38.0	72.00	11.50
1-1/2"	60.00	43.0	78.00	11.50
2"	73.00	54.0	86.00	11.50




异径直接 (大小头) Reducing Socket(SxS)

DIN										
Nominal	Outside Dia		Socket Type				Type			
Size	D1	D2	d1	d2	I1	d3	d4	I2	d	L
DN20*DN15	32.0	27.0	25.3	25.1	20.0	20.3	20.1	16.0	16.0	44.0
DN25*DN15	40.0	27.0	32.3	32.1	24.0	20.3	20.1	16.0	16.0	52.0
DN25*DN20	40.0	32.0	32.3	32.1	24.0	25.3	25.1	20.0	21.0	52.0
DN32*DN15	50.0	27.0	40.3	40.1	28.0	20.3	20.1	16.0	16.0	60.0
DN32*DN20	50.0	32.0	40.3	40.1	28.0	25.3	25.1	20.0	21.0	60.0
DN32*DN25	50.0	40.0	40.3	40.1	28.0	32.3	32.1	24.0	28.0	60.0
DN40*DN15	63.0	27.0	50.3	50.1	32.0	20.3	20.1	16.0	16.0	68.0
DN40*DN20	63.0	32.0	50.3	50.1	32.0	25.3	25.1	20.0	21.0	68.0
DN40*DN25	63.0	40.0	50.3	50.1	32.0	32.3	32.1	24.0	28.0	68.0
DN40*DN32	63.0	50.0	50.3	50.1	32.0	40.3	40.1	28.0	36.0	68.0
DN50*DN15	75.0	27.0	63.3	63.1	38.0	20.3	20.1	16.0	16.0	80.0
DN50*DN20	75.0	32.0	63.3	63.1	38.0	25.3	25.1	20.0	21.0	80.0
DN50*DN25	75.0	40.0	63.3	63.1	38.0	32.3	32.1	24.0	28.0	80.0
DN50*DN32	75.0	50.0	63.3	63.1	38.0	40.3	40.1	28.0	36.0	80.0
DN50*DN40	75.0	63.0	63.3	63.1	38.0	50.3	50.1	32.0	46.0	80.0
DN65*DN50	90.0	76.5	76.3	75.1	44.0	63.3	63.1	38.0	50.0	100.0
DN80*DN50	110.0	76.5	90.3	90.1	51.0	63.3	63.1	38.0	50.0	112.5
DN80*DN65	110.0	90.0	90.3	90.1	51.0	75.3	75.1	44.0	65.0	118.5
DN100*DN50	133.0	76.5	110.4	110.1	61.0	63.3	63.1	38.0	50.0	126.5
DN100*DN80	133.0	110.0	110.4	110.1	61.0	90.3	90.4	51.0	80.0	140.0




外牙直接 Male Adapter(SxT)

ANSI							
Nominal	Outside Dia	Socket Type			Structural Diameter		
Size	D	d1	d2	I	d	L	NPT(牙数/寸)
1/2"	30.00	21.54	21.23	24.00	13.20	50.00	14.00
3/4"	35.00	26.87	26.57	27.00	19.00	50.50	14.00
1"	44.00	33.65	33.27	30.00	24.00	59.00	11.50
1-1/4"	54.00	42.42	42.04	34.00	32.00	63.40	11.50
1-1/2"	60.00	48.56	48.11	37.00	38.00	67.00	11.50
2"	73.00	60.63	60.17	41.10	50.00	73.00	11.50
2-1/2"	88.00	73.38	72.85	45.00	58.00	79.50	8.00
3"	105.00	89.30	88.70	48.00	72.00	86.00	8.00
4"	132.00	114.76	114.10	58.00	96.00	99.00	8.00




外牙直接 Male Adapter(SxT)

DIN							
Nominal	Outside Dia	Socket Type			Structural Diameter		
Size	D	d1	d2	I	d	L	PT(牙数/寸)
DN15	30.0	20.3	20.1	16.0	13.2	50.0	14
DN20	35.0	25.3	25.1	19.0	19.0	50.5	14
DN25	44.0	32.3	32.1	22.0	24.0	59.0	11
DN32	54.0	40.3	40.1	26.0	32.0	63.4	11
DN40	60.0	50.3	50.1	32.0	38.0	67.0	11
DN50	73.0	63.3	63.1	38.0	50.0	73.0	11
DN65	90.0	75.3	75.1	44.0	62.0	79.5	11
DN80	110.0	90.3	90.1	51.0	74.0	90.5	11
DN100	133.0	110.4	110.1	61.0	97.0	107.5	11




内牙直接 Female Adaptor(SxT)

DIN							
Nominal	Outside Dia	Socket Type			Structural Diameter		
Size	D	d1	d2	I	d	L	PT(牙数/寸)
DN15	30.0	20.3	20.1	16.0	13.2	52.0	14
DN20	35.0	25.3	25.1	19.0	19.0	58.0	14
DN25	44.0	32.3	32.1	22.0	24.0	64.0	11
DN32	54.0	40.3	40.1	26.0	32.0	72.0	11
DN40	60.0	50.3	50.1	32.0	38.0	78.0	11
DN50	73.0	63.3	63.1	38.0	50.0	86.0	11
DN65	90.0	75.3	75.1	44.0	70.0	92.0	11
DN80	110.0	90.3	90.1	51.0	86.1	107.0	11
DN100	133.0	110.4	110.1	61.0	106.1	128.0	11



内牙直接 Female Adaptor(TxT)


DIN				
Nominal	Outside Dia	Structural Diameter		
Size	D	d	L	PT(牙数/寸)
DN15	27.0	16.0	36.0	14
DN20	32.0	21.0	44.0	14
DN25	40.0	28.0	52.0	11
DN32	50.0	36.0	60.0	11
DN40	63.0	46.0	68.0	11
DN50	76.5	57.0	80.0	11
DN65	90.0	70.0	92.0	11
DN80	110.0	86.1	107.0	11
DN100	133.0	106.1	128.0	11



正三通Tee(SxSxS)

ANSI

Nominal	Outside Dia	Socket Type			Structural Diameter		
Size	D	d1	d2	I	d	H	L
1/2"	29.00	21.54	21.23	24.00	16.00	51.50	74.00
3/4"	35.00	26.87	26.57	27.00	22.00	59.50	84.00
1"	44.00	33.65	33.27	30.00	30.00	70.00	96.00
1-1/4"	54.00	42.42	42.04	34.00	38.00	84.00	114.00
1-1/2"	60.00	48.56	48.11	37.00	44.00	93.00	126.00
2"	73.00	60.63	60.17	41.00	54.00	109.50	146.00
2-1/2"	88.00	73.38	72.85	46.50	67.00	129.50	171.00
3"	105.00	89.31	88.70	50.00	82.00	149.50	194.00
4"	132.00	114.76	114.10	60.00	106.00	185.00	238.00
5"	162.00	141.81	141.00	77.00	133.00	234.50	307.00
6"	191.00	168.83	168.00	79.00	158.00	263.50	336.00
8"	246.00	219.84	218.70	102.00	200.00	340.00	434.00
10"	304.80	273.81	272.67	128.00	265.00	423.40	546.00
12"	361.00	324.61	323.47	153.00	313.50	508.50	656.00




正三通Tee(SxSxS)

DIN

Nominal	Socket Type			Structural Diameter			
Size	d1	d2	I	D	d	H	L
DN15	20.3	20.1	16.0	27.0	17.0	40.0	56.0
DN20	25.3	25.1	19.0	33.0	23.0	49.5	66.0
DN25	32.3	32.1	22.0	41.0	29.0	61.0	81.0
DN32	40.3	40.1	26.0	50.0	37.0	73.5	96.0
DN40	50.3	50.1	32.0	61.0	47.0	88.0	118.0
DN50	63.3	63.1	38.0	76.5	63.0	107.5	143.0
DN65	75.3	75.1	44.0	92.0	72.1	131.5	171.0
DN80	90.3	90.1	51.0	110.6	87.1	153.8	197.0
DN100	110.4	110.1	61.0	133.0	106.1	185.5	238.0
DN125	140.5	140.2	77.0	162.0	133.0	234.5	307.0
DN150	160.5	160.2	86.0	186.0	152.0	262.0	338.0
DN200	225.7	225.3	120.0	261.0	205.0	365.5	468.0
DN250	281.5	280.0	146.5	308.5	272.0	446.0	584.0
DN300	316.4	315.0	164.0	347.5	305.0	504.0	660.0


备注: DN250预计2016年10月份完成



正三通Tee(SxSxT)

ANSI


Nominal	Outside Dia	Socket Type			Structural Diameter			
Size	D	d1	d2	I	d	H	L	NPT(牙数/寸)
1/2"	29.00	21.54	21.23	24.00	16.00	51.50	74.00	14.00
3/4"	35.00	26.87	26.57	27.00	22.00	59.50	84.00	14.00
1"	44.00	33.65	33.27	30.00	30.00	70.00	96.00	11.50
1-1/4"	54.00	42.42	42.04	34.00	38.00	84.00	114.00	11.50
1-1/2"	60.00	48.56	48.11	37.00	43.00	93.00	126.00	11.50
2"	73.00	60.63	60.17	41.00	54.00	109.50	146.00	11.50



正三通Tee(SxSxT)

DIN


Nominal	Outside Dia	Socket Type			Structural Diameter			
Size	D	d1	d2	I	d	H	L	PT(牙数/寸)
DN15	27.0	20.3	20.1	16.0	17.0	40.0	56.0	14.0
DN20	33.0	25.3	25.1	19.0	23.0	49.5	66.0	14.0
DN25	41.0	32.3	32.1	22.0	29.0	61.0	81.0	11.0
DN32	50.0	40.3	40.1	26.0	37.0	73.5	96.0	11.0
DN40	61.0	50.3	50.1	32.0	47.0	88.0	118.0	11.0
DN50	76.5	63.3	63.1	38.0	60.0	107.5	143.0	11.0



异径三通Reducing Tee(SxSxS)

ANSI


Nominal	Outside Dia	Socket Type							Structural Diameter			
Size	D	d1	d2	I1	d3	d4	I2	d	d0	H	L	
3/4"x3/4"x1/2"	35.00	26.87	26.57	27.00	21.54	21.23	24.00	22.00	16.00	57.00	78.00	
1"x1"x1/2"	44.00	33.65	33.27	30.00	21.54	21.23	24.00	30.00	16.00	65.00	90.00	
1"x1"x3/4"	44.00	33.65	33.27	30.00	26.87	26.57	27.00	30.00	22.00	68.00	90.00	
1-1/4"x1-1/4"x1/2"	54.00	42.42	42.04	34.00	21.54	21.23	24.00	38.00	16.00	74.00	106.00	
1-1/4"x1-1/4"x3/4"	54.00	42.42	42.04	34.00	26.87	26.57	27.00	38.00	22.00	77.00	106.00	
1-1/4"x1-1/4"x1"	54.00	42.42	42.04	34.00	33.65	33.27	30.00	38.00	30.00	80.00	106.00	
1-1/2"x1-1/2"x1/2"	60.00	48.56	48.11	37.00	21.54	21.23	24.00	43.00	16.00	79.50	120.00	
1-1/2"x1-1/2"x3/4"	60.00	48.56	48.11	37.00	26.87	26.57	27.00	43.00	22.00	82.50	120.00	
1-1/2"x1-1/2"x1"	60.00	48.56	48.11	37.00	33.65	33.27	30.00	43.00	30.00	85.50	120.00	
1-1/2"x1-1/2"x1-1/4"	60.00	48.56	48.11	37.00	42.42	42.04	34.00	43.00	38.00	90.50	120.00	
2"x2"x1/2"	73.00	60.63	60.17	41.00	21.54	21.23	24.00	54.00	16.00	91.50	135.00	
2"x2"x3/4"	73.00	60.63	60.17	41.00	26.87	26.57	27.00	54.00	22.00	94.50	135.00	
2"x2"x1"	73.00	60.63	60.17	41.00	33.65	33.27	30.00	54.00	30.00	97.50	135.00	
2"x2"x1-1/4"	73.00	60.63	60.17	41.00	42.42	42.04	34.00	54.00	38.00	101.50	135.00	
2"x2"x1-1/2"	73.00	60.63	60.17	41.00	48.56	48.11	37.00	54.00	43.00	105.50	135.00	
2-1/2"x2-1/2"x1/2"	88.00	73.38	72.85	46.50	21.54	21.23	24.00	67.00	16.00	105.50	159.00	
2-1/2"x2-1/2"x3/4"	88.00	73.38	72.85	46.50	26.87	26.57	27.00	67.00	22.00	108.50	159.00	
2-1/2"x2-1/2"x1"	88.00	73.38	72.85	46.50	33.65	33.27	30.00	67.00	30.00	111.50	159.00	
2-1/2"x2-1/2"x1-1/4"	88.00	73.38	72.85	46.50	42.42	42.04	34.00	67.00	38.00	115.50	159.00	
2-1/2"x2-1/2"x1-1/2"	88.00	73.38	72.85	46.50	48.56	48.11	37.00	67.00	43.00	118.50	159.00	
2-1/2"x2-1/2"x2"	88.00	73.38	72.85	46.50	60.63	60.17	41.00	67.00	54.00	123.50	159.00	
3"x3"x1"	105.50	89.31	88.70	50.00	33.65	33.27	30.00	82.00	30.00	127.75	179.00	
3"x3"x1-1/4"	105.50	89.31	88.70	50.00	42.42	42.04	34.00	82.00	38.00	131.75	179.00	
3"x3"x1-1/2"	105.50	89.31	88.70	50.00	48.56	48.11	37.00	82.00	43.00	134.75	179.00	
3"x3"x2"	105.50	89.31	88.70	50.00	60.63	60.17	41.00	82.00	54.00	138.75	179.00	
3"x3"x2-1/2"	105.50	89.31	88.70	50.00	73.38	72.85	46.50	82.00	67.00	145.25	179.00	
4"x4"x1"	133.00	114.76	114.10	60.00	33.65	33.27	30.00	106.00	30.00	153.50	214.00	
4"x4"x1-1/4"	133.00	114.76	114.10	60.00	42.42	42.04	34.00	106.00	38.00	157.50	214.00	
4"x4"x1-1/2"	133.00	114.76	114.10	60.00	48.56	48.11	37.00	106.00	43.00	160.50	214.00	
4"x4"x2"	133.00	114.76	114.10	60.00	60.63	60.17	41.00	106.00	54.00	164.50	214.00	
4"x4"x2-1/2"	133.00	114.76	114.10	60.00	73.38	72.85	46.50	106.00	67.00	171.00	214.00	
4"x4"x3"	133.00	114.76	114.10	60.00	89.31	88.70	50.00	106.00	82.00	174.50	214.00	
6"x6"x1"	191.00	168.83	168.00	79.00	33.65	33.27	30.00	158.00	30.00	220.00	311.00	
6"x6"x2"	191.00	168.83	168.00	79.00	60.63	60.17	39.00	158.00	54.00	220.50	311.00	
6"x6"x3"	191.00	168.83	168.00	79.00	89.31	88.71	50.00	158.00	82.00	230.50	311.00	
6"x6"x4"	191.00	168.83	168.00	79.00	114.76	114.10	60.00	158.00	106.00	243.00	311.00	
6"x6"x5"	191.00	168.83	168.00	79.00	141.81	141.00	68.00	158.00	133.00	250.50	311.00	



异径三通Reducing Tee (SxSxS)

DIN

Nominal	Outside Dia		Socket Type					Structural Diameter			
Size	D	d1	d2	I1	d3	d4	I2	d	d0	H	L
DN20*DN20*DN15	33.00	25.30	25.10	20.00	20.30	20.10	17.00	23.00	17.00	49.00	66.00
DN25*DN25*DN15	41.00	32.30	32.10	23.00	20.30	20.10	17.00	29.00	17.00	56.00	80.00
DN25*DN25*DN20	41.00	32.30	32.10	23.00	25.30	25.10	20.00	29.00	23.00	59.00	80.00
DN32*DN32*DN15	50.00	40.30	40.10	28.00	20.30	20.10	17.00	37.00	17.00	64.50	96.00
DN32*DN32*DN20	50.00	40.30	40.10	28.00	25.30	25.10	20.00	37.00	23.00	67.50	96.00
DN32*DN32*DN25	50.00	40.30	40.10	28.00	32.30	32.10	23.00	37.00	29.00	68.50	96.00
DN40*DN40*DN15	62.00	50.30	50.10	32.00	20.30	20.10	17.00	47.00	17.00	75.50	118.00
DN40*DN40*DN20	62.00	50.30	50.10	32.00	25.30	25.10	20.00	47.00	23.00	78.50	118.00
DN40*DN40*DN25	62.00	50.30	50.10	32.00	32.30	32.10	23.00	47.00	29.00	79.50	118.00
DN40*DN40*DN32	62.00	50.30	50.10	32.00	40.30	40.10	28.00	47.00	37.00	84.50	118.00
DN50*DN50*DN15	76.00	63.30	63.10	38.00	20.30	20.10	17.00	60.00	17.00	89.00	143.00
DN50*DN50*DN20	76.00	63.30	63.10	38.00	25.30	25.10	20.00	60.00	23.00	92.00	143.00
DN50*DN50*DN25	76.00	63.30	63.10	38.00	32.30	32.10	23.00	60.00	29.00	93.00	143.00
DN50*DN50*DN32	76.00	63.30	63.10	38.00	40.30	40.10	28.00	60.00	37.00	98.00	143.00
DN50*DN50*DN40	76.00	63.30	63.10	38.00	50.30	50.10	32.00	60.00	47.00	102.00	143.00
DN65*DN65*DN25	92.00	75.30	75.10	45.00	32.30	32.10	23.00	72.00	29.00	109.00	171.00
DN65*DN65*DN32	92.00	75.30	75.10	45.00	40.30	40.10	28.00	72.00	37.00	114.00	171.00
DN65*DN65*DN40	92.00	75.30	75.10	45.00	50.30	50.10	32.00	72.00	47.00	118.00	171.00
DN65*DN65*DN50	92.00	75.30	75.10	45.00	63.30	63.10	38.00	72.00	60.00	124.00	171.00
DN80*DN80*DN25	110.60	90.30	90.10	51.00	32.30	32.10	23.00	87.10	29.00	125.80	182.00
DN80*DN80*DN32	110.60	90.30	90.10	51.00	40.30	40.10	28.00	87.10	37.00	130.80	182.00
DN80*DN80*DN40	110.60	90.30	90.10	51.00	50.30	50.10	32.00	87.10	47.00	134.80	182.00
DN80*DN80*DN50	110.60	90.30	90.10	51.00	63.30	63.10	38.00	87.10	60.00	140.80	182.00
DN80*DN80*DN65	110.60	90.30	90.10	51.00	75.30	75.10	45.00	87.10	72.00	147.80	182.00
DN100*DN100*DN25	127.00	110.40	110.10	61.00	32.30	32.10	23.00	106.10	29.00	144.50	219.00
DN100*DN100*DN32	127.00	110.40	110.10	61.00	40.30	40.10	28.00	106.10	37.00	149.50	219.00
DN100*DN100*DN40	127.00	110.40	110.10	61.00	50.30	50.10	32.00	106.10	47.00	153.50	219.00
DN100*DN100*DN50	127.00	110.40	110.10	61.00	63.30	63.10	38.00	106.10	60.00	159.50	219.00
DN100*DN100*DN65	127.00	110.40	110.10	61.00	75.30	75.10	45.00	106.10	72.00	166.50	219.00
DN100*DN100*DN80	127.00	110.40	110.10	61.00	90.30	90.10	51.00	106.10	87.10	172.50	219.00




45°弯头Elbow (SxS)

ANSI

Nominal	Outside Dia	Socket Type			Structural Diameter	
Size	D	d1	d2	l	d	J
1/2"	30.00	21.54	21.23	24.00	16.00	6.50
3/4"	35.00	26.87	26.57	27.00	22.00	8.00
1"	44.00	33.65	33.27	30.00	30.00	8.00
1-1/4"	54.00	42.42	42.04	34.00	38.00	10.00
1-1/2"	60.00	48.56	48.11	37.00	43.00	12.00
2"	73.00	60.63	60.17	41.00	54.00	16.00
2-1/2"	88.00	73.38	72.85	46.50	67.00	18.00
3"	105.00	89.31	88.70	50.00	82.00	19.50
4"	132.00	114.76	114.10	60.00	106.00	26.00
5"	162.00	141.81	141.00	77.00	133.00	35.00
6"	191.00	168.83	168.00	79.00	158.00	45.00
8"	246.00	219.84	218.70	102.00	200.00	51.00
10" (手工件)	304.00	273.81	272.67	148.00	240.00	58.00
12" (手工件)	360.00	324.61	323.47	168.00	290.00	64.00

Note: Dimensions for handmade fittings shall per actual ones.
备注: 手工件请以实物为准




45°弯头Elbow (SxS)

DIN

Nominal	Socket Type			Structural Diameter	
Size	d1	d2	l	D	d
DN15	20.3	20.1	16.0	27.0	17.0
DN20	25.3	25.1	19.0	33.0	23.0
DN25	32.3	32.1	22.0	41.0	29.0
DN32	40.3	40.1	26.0	50.0	37.0
DN40	50.3	50.1	32.0	61.0	47.0
DN50	63.3	63.1	38.0	76.5	60.0
DN65	75.3	75.1	44.0	92.0	72.1
DN80	90.3	90.1	49.5	110.6	87.1
DN100	110.4	110.1	61.0	133.0	106.1
DN125	140.5	140.2	77.0	162.0	133.0
DN150	160.5	160.2	86.0	186.0	154.0
DN200	225.7	225.3	119.0	261.0	205.0
DN250 (手工件)	250.8	250.3	148.0	290.0	239.0
DN300 (手工件)	316.0	315.4	168.0	364.0	304.0


Note: Dimensions for handmade fittings shall per actual ones.
备注: 手工件请以实物为准



45°弯头Elbow(SxT)

DIN


Nominal	Socket Type			Structural Diameter	
Size	d1	d2	l	D	d
DN15	20.3	20.1	16.0	27.0	17.0
DN20	25.3	25.1	19.0	33.0	23.0
DN25	32.3	32.1	22.0	41.0	29.0
DN32	40.3	40.1	26.0	50.0	37.0
DN40	50.3	50.1	32.0	61.0	47.0
DN50	63.3	63.1	38.0	76.5	60.0



90°弯头Elbow(SxS)

ANSI

Nominal	Outside Dia	Socket Type			Structural Diameter	
Size	D	d1	d2	l	d	L
1/2"	30.00	21.54	21.23	24.00	16.00	52.00
3/4"	35.00	26.87	26.57	27.00	22.00	59.50
1"	44.00	33.65	33.27	29.00	30.00	69.00
1-1/4"	54.00	42.42	42.04	34.00	38.00	84.00
1-1/2"	60.00	48.56	48.11	36.00	44.00	92.00
2"	73.00	60.63	60.17	39.00	54.00	107.50
2-1/2"	88.00	73.38	72.85	46.50	67.00	129.50
3"	105.00	89.31	88.70	50.00	82.00	149.50
4"	132.00	114.76	114.10	60.00	106.00	185.00
5"	162.00	141.81	141.00	77.00	133.00	234.50
6"	191.00	168.83	168.00	79.00	158.00	263.50
8"	246.00	219.84	218.70	102.00	200.00	340.00
10"	304.80	273.81	272.67	128.00	265.00	425.40
12"	361.00	324.61	323.47	153.00	313.50	508.50




90°弯头Elbow(SxS)

DIN

Nominal	Socket Type			Structural Diameter		
Size	d1	d2	l	D	d	L
DN15	20.3	20.1	16.0	27.0	17.0	41.5
DN20	25.3	25.1	19.0	33.0	23.0	49.5
DN25	32.3	32.1	22.0	41.0	29.0	61.0
DN32	40.3	40.1	26.0	50.0	37.0	73.5
DN40	50.3	50.1	32.0	61.0	47.0	88.0
DN50	63.3	63.1	38.0	76.5	60.0	107.5
DN65	75.3	75.1	44.0	92.0	72.0	132.5
DN80	90.3	90.1	51.0	110.6	87.1	155.8
DN100	110.4	110.1	61.0	133.0	106.1	187.5
DN125	140.5	140.2	77.0	162.0	133.0	234.5
DN150	160.5	160.2	86.0	186.0	154.0	262.0
DN200	225.7	225.3	119.0	261.0	205.0	364.5
DN250	281.5	280.0	146.5	308.5	272.0	446.0
DN300	316.4	315.0	164.0	347.50	305.0	503.8


备注: DN250预计2016年10月份完成



90°弯头Elbow (SxT)

ANSI


Nominal	Outside Dia	Socket Type			Structural Diameter		
Size	D	d1	d2	I	d	L	NPT(牙数/寸)
1/2"	30.00	21.54	21.23	24.00	16.00	52.00	14.00
3/4"	35.00	26.87	26.57	27.00	22.00	59.50	14.00
1"	44.00	33.65	33.27	30.00	30.00	69.00	11.50
1-1/4"	54.00	42.42	42.04	34.00	38.00	84.00	11.50
1-1/2"	60.00	48.56	48.11	37.00	44.00	92.00	11.50
2"	73.00	60.63	60.17	41.00	54.00	107.50	11.50



90°弯头Elbow (SxT)

DIN


Nominal	Outside Dia	Socket Type			Structural Diameter		
Size	D	d1	d2	I	d	L	PT(牙数/寸)
DN15	27	20.3	20.1	16	17	41.5	14
DN20	33	25.3	25.1	19	23	49.5	14
DN25	41	32.3	32.1	22	29	61	11
DN32	50	40.3	40.1	26	37	73.5	11
DN40	61	50.3	50.1	32	47	88	11
DN50	76.5	63.3	63.1	38	60	107.5	11



90°弯头Elbow (TxT)

ANSI


Nominal	Outside Dia	Structural Diameter		
Size	D	d	L	NPT(牙数/寸)
1/2"	30.0	16.0	52.0	14.0
3/4"	35.0	22.0	59.5	14.0
1"	44.0	30.0	69.0	11.5
1-1/4"	54.0	38.0	84.0	11.5
1-1/2"	60.0	44.0	92.0	11.5
2"	73.0	54.0	107.5	11.5



90°弯头Elbow (TxT)

DIN

Nominal	Outside Dia	Structural Diameter		
Size	D	d	L	PT(牙数/寸)
DN15	27.0	17.0	41.5	14.0
DN20	33.0	23.0	49.5	14.0
DN25	41.0	29.0	61.0	11.0
DN32	50.0	37.0	73.5	11.0
DN40	61.0	47.0	88.0	11.0
DN50	76.5	60.0	107.5	11.0




卜申Reducing Bushing (SxS)

ANSI

NSF


Nominal	Socket Type			Structural Diameter			
Size	d1	d2	I	D	d	L1	L
1/2"×1/4"	14.02	13.61	19.00	21.34	10.00	24.00	29.00
1/2"×3/8"	17.45	17.04	22.00	21.34	12.00	24.00	29.00
3/4"×1/2"	21.54	21.23	24.00	26.67	17.00	27.00	33.00
1"×3/8"	17.45	17.04	22.00	33.40	12.00	30.00	36.00
1"×1/2"	21.54	21.23	24.00	33.40	17.00	30.00	36.00
1"×3/4"	26.87	26.57	27.00	33.40	22.50	30.00	36.00
1-1/4"×1/2"	21.54	21.23	24.00	42.16	17.00	34.00	42.00
1-1/4"×3/4"	26.87	26.57	27.00	42.16	22.50	34.00	42.00
1-1/4"×1"	33.65	33.27	30.00	42.16	28.00	34.00	42.00
1-1/2"×1/2"	21.54	21.23	24.00	48.26	17.00	37.00	45.00
1-1/2"×3/4"	26.87	26.57	27.00	48.26	22.50	37.00	45.00
1-1/2"×1"	33.65	33.27	30.00	48.26	28.00	37.00	45.00
1-1/2"×1-1/4"	42.42	42.04	34.00	48.26	38.00	37.00	45.00
2"×1/2"	21.54	21.23	24.00	60.33	17.00	41.00	53.00
2"×3/4"	26.87	26.57	27.00	60.33	22.50	41.00	53.00
2"×1"	33.65	33.27	30.00	60.33	28.00	41.00	53.00
2"×1-1/4"	42.42	42.04	34.00	60.33	38.00	41.00	53.00
2"×1-1/2"	48.56	48.11	37.00	60.33	42.00	41.00	53.00
2-1/2"×1-1/2"	48.56	48.11	37.00	73.03	44.00	46.50	56.50
2-1/2"×2"	60.63	60.17	41.00	73.03	54.00	46.50	56.50
3"×1"	33.65	33.27	30.00	88.90	28.00	50.00	60.00
3"×1-1/2"	48.56	48.11	37.00	88.90	42.00	50.00	60.00
3"×2"	60.63	60.17	41.00	88.90	54.00	50.00	60.00
3"×2-1/2"	73.38	72.85	46.50	88.90	66.00	50.00	60.00
4"×2"	60.63	60.17	41.00	114.30	54.00	60.00	72.00
4"×2-1/2"	73.38	72.85	46.50	114.30	65.00	60.00	72.00
4"×3"	89.31	88.70	50.00	114.30	80.00	60.00	72.00
5"×2"	60.63	60.17	39.00	141.30	55.00	66.80	81.80
5"×3"	89.31	88.70	51.00	141.30	80.00	66.80	81.80
5"×4"	114.76	114.10	61.00	141.30	100.00	66.80	81.80
6"×3"	89.31	88.70	51.00	168.28	80.00	79.00	94.00
6"×4"	114.76	114.10	61.00	168.28	100.00	79.00	94.00
6"×5"	141.81	141.00	76.00	168.28	125.00	79.00	94.00
8"×4"	114.76	114.10	61.00	219.10	100.00	102.00	120.00
8"×5"	141.81	141.00	76.00	219.10	125.00	102.00	120.00
8"×6"	168.83	168.00	86.00	219.10	150.00	102.00	120.00
10"×4"	114.76	114.10	61.00	273.50	100.00	128.00	148.00
10"×6"	168.83	168.00	86.00	273.50	150.00	128.00	148.00
10"×8"	219.84	218.69	119.00	273.50	200.00	128.00	148.00
12"×6"	168.83	168.00	79.00	323.85	150.00	152.50	172.50
12"×8"	219.84	218.70	103.00	323.85	200.00	152.50	172.50
12"×10"	273.81	272.67	128.00	323.85	250.00	152.50	172.50



卜申Reducing Bushing (SxS)

DIN


Nominal	Outside Dia	Socket Type			Structural Diameter			图示
Size	D	d1	d2	I	d	L1	L	
DN20*DN15	25.0	20.3	20.1	16.0	16.0	—	20.0	Pic.1
DN25*DN15	32.0	20.3	20.1	16.0	16.0	24.0	29.0	Pic.2
DN25*DN20	32.0	25.3	25.1	20.0	21.0	—	24.0	Pic.1
DN32*DN15	40.0	20.3	20.1	16.0	16.0	26.0	35.0	Pic.2
DN32*DN20	40.0	25.3	25.1	19.0	21.0	26.0	35.0	Pic.1
DN32*DN25	40.0	32.3	32.1	23.0	28.0	—	28.0	Pic.1
DN40*DN15	50.0	20.3	20.1	16.0	16.0	31.0	40.0	Pic.2
DN40*DN20	50.0	25.3	25.1	19.0	21.0	31.0	40.0	Pic.2
DN40*DN25	50.0	32.3	32.1	23.0	28.0	31.0	40.0	Pic.1
DN40*DN32	50.0	40.3	40.1	28.0	36.0	—	32.0	Pic.1
DN50*DN15	63.0	20.3	20.1	16.0	16.0	37.0	50.0	Pic.2
DN50*DN20	63.0	25.3	25.1	19.0	21.0	37.0	50.0	Pic.2
DN50*DN25	63.0	32.3	32.1	23.0	28.0	37.0	50.0	Pic.1
DN50*DN32	63.0	40.3	40.1	26.5	35.0	37.0	50.0	Pic.1
DN50*DN40	63.0	50.3	50.1	32.0	46.0	—	38.0	Pic.1
DN65*DN50	75.0	63.3	63.1	38.0	57.0	—	42.0	Pic.1
DN80*DN50	90.0	63.3	63.1	38.0	57.0	51.0	61.0	Pic.2
DN80*DN65	90.0	75.3	75.1	45.0	71.0	51.0	61.0	Pic.2
DN100*DN50	110.0	63.3	63.0	38.0	57.0	61.0	73.0	Pic.2
DN100*DN80	110.0	90.3	90.1	51.0	76.0	61.0	73.0	Pic.2
DN125*DN50	140.0	63.3	63.1	39.0	50.0	76.0	91.0	Pic.2
DN125*DN80	140.0	90.3	90.1	51.0	80.0	76.0	91.0	Pic.2
DN125*DN100	140.0	110.4	110.1	61.0	100.0	76.0	91.0	Pic.2
DN150*DN80	160.0	90.3	90.1	51.0	80.0	86.0	101.0	Pic.2
DN150*DN100	160.0	110.4	110.1	61.0	100.0	86.0	101.0	Pic.2
DN150*DN125	160.0	140.5	140.2	76.0	125.0	86.0	101.0	Pic.2
DN200*DN100	225.0	110.4	110.1	61.0	100.0	119.0	137.0	Pic.2
DN200*DN125	225.0	140.5	140.2	76.0	125.0	119.0	137.0	Pic.2
DN200*DN150	225.0	160.5	160.2	86.0	150.0	119.0	137.0	Pic.2
DN250*DN100	280.0	110.4	110.1	61.0	100.0	146.0	166.0	Pic.2
DN250*DN150	280.0	160.5	160.2	86.0	150.0	146.0	166.0	Pic.2
DN250*DN200	280.0	225.7	225.3	119.0	200.0	146.0	166.0	Pic.2
DN300*DN150	315.0	160.5	160.2	86.0	150.0	163.5	183.5	Pic.2
DN300*DN200	315.0	225.7	225.3	119.0	200.0	163.5	183.5	Pic.2
DN300*DN250	315.0	316.4	315.0	164.0	250.0	163.5	183.5	Pic.2



卜申Reducing Bushing (SxT)

ANSI


Nominal	Outside Dia	Structural Diameter			NPT(牙数/寸)
Size	D	d	L1	L	
1/2"*1/4"	21.34	7.00	24.00	29.00	18.00
1/2"*3/8"	21.34	12.00	24.00	29.00	18.00
3/4"*1/2"	26.67	16.00	27.00	33.00	14.00
1"*3/8"	33.40	12.00	30.00	36.00	18.00
1"*1/2"	33.40	16.00	30.00	36.00	14.00
1"*3/4"	33.40	21.00	30.00	36.00	14.00



卜申Reducer Bushing (SxT)

DIN


Nominal	Outside Dia	Structural Diameter			PT(牙数/寸)
Size	D	d	L1	L	
DN15*PT1/4"	20	7.0	16.5	21.5	19
DN20*PT1/2"	25	16.0	19.0	25.0	14
DN25*PT1/2"	32	16.0	22.5	28.0	14
DN25*PT3/4"	32	21.0	22.5	28.0	14



管帽Cap

ANSI


Nominal	Outside Dia	Socket Type			Structural Diameter
Size	D	d1	d2	I	L
1/2"	30.00	21.54	21.23	24.00	28.50
3/4"	35.00	26.87	26.57	27.00	31.50
1"	43.50	33.65	33.27	30.00	35.00
1-1/4"	53.00	42.42	42.04	33.00	38.50
1-1/2"	60.00	48.56	48.11	37.00	43.00
2"	73.00	60.63	60.17	40.00	46.00
2-1/2"	92.00	73.38	72.85	47.00	55.50
3"	110.60	89.31	88.70	52.50	62.50
4"	133.00	114.76	114.10	63.00	72.00
5"	162.00	141.81	141.00	67.00	94.00
6"	191.50	168.83	168.00	77.00	106.00



管帽Cap

DIN


Nominal	Outside Dia	Socket Type				Structural Diameter
Size	D	d1	d2	I	L	
DN15	27.0	20.3	20.1	19.9	24.0	
DN20	32.0	25.3	25.1	24.3	28.3	
DN25	40.0	32.3	32.1	28.0	32.0	
DN32	50.0	40.3	40.1	32.0	37.0	
DN40	63.0	50.3	50.1	35.7	41.3	
DN50	75.0	63.3	63.1	42.0	48.0	
DN65	92.0	75.3	75.1	47.0	55.5	
DN80	110.6	90.3	90.1	52.5	62.5	
DN100	133.0	110.4	110.1	63.0	72.0	
DN125	162.0	140.5	140.2	77.0	94.0	
DN150	191.5	160.5	160.2	86.0	106.0	



双片法兰 Van Stone Flange

ANSI


Size	D	D1	C	d	d1	d2	H	T	I	n-Φe
1/2"	87.0	30.0	60.30	15.00	21.54	21.23	26.00	14.00	23.00	4-16
3/4"	98.00	38.00	70.00	20.00	26.87	26.57	29.00	15.00	26.00	4-16
1"	108.00	47.00	79.40	25.00	33.66	33.27	33.00	16.00	29.00	4-16
1-1/4"	117.00	55.00	88.90	32.00	42.42	42.04	37.00	18.00	32.00	4-16
1-1/2"	128.00	60.50	98.00	40.00	48.56	48.11	42.80	19.00	36.60	4-16
2"	155.50	73.80	121.00	51.00	60.63	60.17	45.50	21.00	40.00	4-19
2-1/2"	178.00	89.00	140.00	63.00	73.38	72.85	52.50	25.00	46.50	4-19
3"	192.00	108.00	152.00	77.00	89.31	88.70	56.50	27.00	50.00	4-19
4"	230.00	133.00	191.20	102.00	114.76	114.10	67.00	29.00	59.80	8-19
5"	256.00	161.80	216.00	129.00	141.81	141.00	77.50	31.00	69.40	8-22
6"	285.00	191.00	241.00	156.00	168.83	168.00	88.00	33.00	79.00	8-22
8"	343.00	243.00	298.00	204.00	219.84	218.70	118.00	36.00	102.00	8-22
10"	406.40	308.00	362.00	256.00	273.81	272.67	151.00	42.00	127.50	12-25
12"	483.00	364.00	432.00	305.00	324.61	323.47	190.00	42.00	165.00	12-25



双片法兰 Van Stone Flange

DIN

Size	D	D1	C	d	d1	d2	H	T	I	n-Φe
1/2"	95.0	30.0	65.0	15.0	20.3	20.1	26.0	14.0	22.0	4-15
3/4"	105.0	35.0	75.0	20.0	25.3	25.1	29.0	16.0	25.0	4-15
1"	115.0	43.0	85.0	25.0	32.3	32.1	32.0	18.0	26.0	4-15
1-1/4"	140.0	53.0	100.0	32.0	40.3	40.1	36.0	18.0	32.0	4-19
1-1/2"	150.0	62.0	110.0	40.0	50.3	50.1	39.0	18.0	35.0	4-19
2"	165.0	76.0	125.0	50.0	63.3	63.1	43.0	20.0	38.0	4-19
2-1/2"	185.0	92.0	145.0	65.0	75.3	75.1	53.0	20.0	46.5	4-19
3"	200.0	110.6	160.0	75.0	90.3	90.1	59.0	20.0	51.0	8-19
4"	220.0	132.0	180.0	97.0	110.4	110.1	73.0	22.0	61.0	8-19
5"	256.0	161.8	210.0	129.0	140.5	140.2	77.5	31.0	69.4	8-19
6"	285.0	191.0	240.0	156.0	160.5	160.2	88.0	33.0	79.0	8-23
8"	343.0	248.0	298.0	204.0	225.7	225.3	131.0	36.0	119.0	8-23
10"	395.0	275.0	350.0	225.0	250.8	250.3	141.0	32.0	131.5	12-23
12"	445.0	346.0	400.0	300.0	316.0	315.4	190.0	42.0	165.0	12-23




盲法兰 Blind Flange

ANSI

unit:mm

Size	D	D1	d	C	H	T	n-Φe
1/2"	87.0	36.0	15.0	60.3	0.5	17.5	4-16
3/4"	98.0	41.0	20.0	70.0	0.5	19.0	4-16
1"	108.0	51.0	25.0	79.4	0.8	20.8	4-16
1-1/4"	117.0	61.0	32.0	88.9	1.0	23.0	4-16
1-1/2"	128.0	72.0	40.0	98.0	1.0	23.0	4-16
2"	155.5	86.0	50.0	121.0	1.0	26.5	4-19
2-1/2"	178.0	102.0	65.0	140.0	1.0	31.0	4-19
3"	192.0	120.0	80.0	152.0	1.0	33.0	4-19
4"	230.0	142.0	100.0	191.2	1.0	35.0	8-19
6"	280.0	215.9	150.0	241.3	1.6	25.4	8-23.0
8"	343.0	269.7	200.0	298.5	1.6	28.4	8-23.5




盲法兰 Blind Flange

DIN

unit:mm


Size	D	D1	d	C	H	T	n-Φe
1/2"	95.0	36.0	15.0	65.0	0.5	17.5	4-15
3/4"	105.0	41.0	20.0	75.0	0.5	19.0	4-15
1"	115.0	51.0	25.0	85.0	0.8	20.8	4-15
1-1/4"	140.0	61.0	32.0	100.0	1.0	23.0	4-19
1-1/2"	150.0	72.0	40.0	110.0	1.0	23.0	4-19
2"	165.0	86.0	50.0	125.0	1.0	26.5	4-19
2-1/2"	185.0	102.0	65.0	145.0	1.0	31.0	4-19
3"	200.0	120.0	80.0	160.0	1.0	33.0	8-19
4"	220.0	142.0	100.0	180.0	1.0	35.0	8-19
6"	280.0	215.9	150.0	241.3	1.6	25.4	8-23.0
8"	343.0	269.7	200.0	298.5	1.6	28.4	8-23.5



单片式法兰及表格 T/S Flange

DIN

Size	D	D1	C		d	d1		d2		H	T	I	n-Φe	
			DIN	JIS		DIN	JIS	DIN	JIS				DIN	JIS
1/2"	95	32	65	70	15	20.30	22.40	20.10	21.73	35	14	32	4-15	4-15
3/4"	105	35	75	75	20	25.30	26.45	25.10	25.69	40	15	37	4-15	4-15
1"	125	42	85	90	25	32.30	32.55	32.10	31.70	45	16	40	4-19	4-19
1-1/4"	140	52	100	100	32	40.30	38.60	40.10	37.65	49	16	44	4-19	4-19
1-1/2"	150	62	110	105	43	50.30	48.70	50.10	47.74	59	18	54	4-19	4-19
2"	165	76	125	120	55	63.30	60.80	63.10	59.78	66	20	61	4-19	4-19
2-1/2"	185	90	145	140	65	75.30	76.60	75.10	75.68	70	22	61	4-19	4-19
3"	200	108	160	150	80	90.30	89.60	90.10	88.55	73	22	65	8-19	8-19
4"	220	132	180	175	100	110.40	114.70	110.10	113.60	93	22	84	8-19	8-19
5"	250	162	210	210	125	140.50	140.85	140.20	139.64	114	24	103	8-19	8-23
6"	285	187	240	240	150	160.50	166.00	160.20	164.63	142	26	130	8-23	8-23
10"	395	309	350	—	250	280.90	—	280.30	—	156	28	147	12-23	—




Size	C (中心圆)					n-Φe (孔数、螺孔数)					螺丝规格-螺丝数					d
	JIS	CNS	DIN	ANSI	BS	JIS	CNS	DIN	ANSI	BS	JIS	CNS	DIN	ANSI	BS	
1/2"	70.00	70.00	65.00	60.30	66.70	15-4	15-4	14-4	16-4	16-4	M12-4	M12-4	M12-4	W1/2-4	W1/2-4	15
3/4"	75.00	75.00	75.00	70.00	73.00	15-4	15-4	14-4	16-4	16-4	M12-4	M12-4	M12-4	W1/2-4	W1/2-4	20
1"	90.00	90.00	85.00	79.40	82.60	19-4	19-4	14-4	16-4	16-4	M16-4	M16-4	M12-4	W1/2-4	W1/2-4	25
1-1/4"	100.00	100.00	100.00	88.90	87.30	19-4	19-4	18-4	16-4	16-4	M16-4	M16-4	M16-4	W1/2-4	W1/2-4	32
1-1/2"	105.00	105.00	110.00	98.40	98.40	19-4	19-4	18-4	16-4	16-4	M16-4	M16-4	M16-4	W1/2-4	W1/2-4	40
2"	120.00	120.00	125.00	120.70	114.30	19-4	19-4	18-4	19-4	19-4	M16-4	M16-4	M16-4	W5/8-4	W5/8-4	50
2-1/2"	140.00	140.00	145.00	139.50	127.00	19-4	19-4	18-4	19-4	19-4	M16-4	M16-4	M16-4	W5/8-4	W5/8-4	65
3"	150.00	150.00	160.00	152.40	146.10	19-8	19-8	18-8	19-4	19-4	M16-8	M16-8	M16-8	W5/8-4	W5/8-4	80
4"	175.00	175.00	180.00	190.50	177.80	19-8	19-8	18-8	19-8	19-8	M16-8	M16-8	M16-8	W5/8-8	W5/8-8	100
5"	210.00	210.00	210.00	216.90	209.60	23-8	23-8	18-8	22-8	19-8	M20-8	M20-8	M20-8	W3/4-8	W5/8-8	125
6"	240.00	240.00	240.00	241.50	235.00	23-8	23-8	23-8	22-8	22-8	M20-8	M20-8	M20-8	W3/4-8	W3/4-8	150
8"	290.00	290.00	295.00	298.50	292.10	23-12	23-12	23-8	22-8	22-8	M20-12	M20-12	M20-12	W3/4-8	W3/4-8	200
10"	355.00	355.00	350.00	362.00	355.60	25-12	25-12	23-12	25-12	25-12	M22-12	M22-12	M22-12	W3/4-12	W3/4-12	250
12"	400.00	400.00	400.00	431.80	406.40	25-16	25-16	23-12	25-12	25-12	M22-16	M22-16	M22-16	W7/8-12	W7/8-12	300

活接由令 Union

尺寸规格 (Dimension)

Size	d	d1				d2				D	L		L1	
		ANSI	DIN	JIS	CNS	ANSI	DIN	JIS	CNS		ANSI CNS	DIN	ANSI CNS	DIN
1/2"(15)	15	21.54	20.30	22.40	22.40	21.23	20.10	21.73	21.90	54.00	53.50	41.00	22.30	16.00
3/4"(20)	20	26.87	25.30	26.45	26.40	26.57	25.10	25.69	25.90	63.00	60.00	47.50	25.50	19.00
1"(25)	25	33.65	32.30	32.55	34.50	33.27	32.10	31.70	33.90	73.50	67.00	53.50	28.60	22.00
1-1/4"(32)	32	42.42	40.30	38.60	42.50	42.04	40.10	37.65	41.90	84.50	76.00	63.00	32.00	26.00
1-1/2"(40)	40	48.56	50.30	48.70	48.60	48.11	50.10	47.74	47.90	98.00	83.00	78.00	35.00	32.00
2"(50)	50	60.63	63.30	60.80	60.60	60.17	63.10	59.78	59.90	119.00	90.00	—	—	—
2-1/2"(65)	63	73.38	75.30	76.60	76.70	72.85	75.10	75.68	75.90	150.00	110.00	—	—	—
3"(80)	75	89.31	90.40	89.60	89.70	88.70	90.10	88.55	88.90	169.00	127.00	—	—	—
4"(100)	97	114.76	110.40	114.70	115.00	114.10	110.10	113.60	113.80	211.00	158.00	—	—	—




44	O圈	EPDM/VITON	1
17	管接头	UPVC/CPVC/PP/PVDF	1
15	螺帽	UPVC/CPVC/PP/PVDF	1
01	活接本体	UPVC/CPVC/PP/PVDF	1
序号	名称	材料	数量 (PCS)

竹节外牙直接 (Hose Adapter)

unit:mm


Size	Nominal			Structural Diameter									
	DN1	DN2	DN3	d	D1	D2	T	L1	L	W	PT(n/in)	NPT(n/in)	
1/4"	8	10	12	6	8	14	4	12.7	43.7	18	19	18	
1/2"	8	10	12	14	8	14	6	16.4	49.5	27.5	14	14	



双外牙直接 (Nipple)

unit:mm


Size	Nominal			Structural Diameter							
	d	D	T	L1	L	W	PT(n/in)	NPT(n/in)			
1/4"	6	11	4	12.7	29.4	18	19	18			
1/2"	14	18.5	6	16.5	39	27.5	14	14			
3/4"	18	23.8	6	17.5	41	33	14	14			
1"	23	29.6	8	22	52	39.5	11	11.5			



鞍形接头Sampling Header (S)

DIN


Nominal Size(dn)	Outside Dia			Socket Type			Structural Diameter	
	D	D1	D2	d1	d2	l	d	L
32x20x16	32	20	16	16.3	16.1	14.5	10.0	36.37
32x25x20	32	25	20	20.3	20.1	16.5	14.0	38.5
40x20x16	40	20	16	16.3	16.1	14.5	10.0	34.2
40x25x20	40	25	20	20.3	20.1	16.5	14.0	39.78
40x32x25	40	32	25	25.3	25.1	19.0	18.0	42.63
50x20x16	50	20	16	16.3	16.1	14.5	10.0	32.92
50x25x20	50	25	20	20.3	20.1	16.5	14.0	37.3
50x32x25	50	32	25	25.3	25.1	19.0	18.0	46.23
50x40x32	50	40	32	32.3	32.1	22.5	24.0	50.08
63x20x16	63	20	16	16.3	16.1	14.5	10.0	32
63x25x20	63	25	20	20.3	20.1	16.5	14.0	35.75
63x32x25	63	32	25	25.3	25.1	19.0	18.0	42.81
63x40x32	63	40	32	32.3	32.1	22.5	24.0	52.36
63x50x40	63	50	40	40.3	40.1	26.5	31.5	56.88
75x20x16	75	20	16	16.3	16.1	14.5	10.0	31.48
75x25x20	75	25	20	20.3	20.1	16.5	14.0	34.91
75x32x25	75	32	25	25.3	25.1	19.0	18.0	41.22
75x40x32	75	40	32	32.3	32.1	22.5	24.0	49.12
75x50x40	75	50	40	40.3	40.1	26.5	31.5	62.46
75x63x50	75	63	50	50.3	50.1	31.5	38.0	69.76
90x20x16	90	20	16	16.3	16.1	14.5	10.0	31.03
90x25x20	90	25	20	20.3	20.1	16.5	14.0	34.22
90x32x25	90	32	25	25.3	25.1	19.0	18.0	40
90x40x32	90	40	32	32.3	32.1	22.5	24.0	46.91
90x50x40	90	50	40	40.3	40.1	26.5	31.5	57.54
90x63x50	90	63	50	50.3	50.1	31.5	38.0	72.67
90x75x63	90	75	63	63.3	63.1	38.0	48.0	90.3
110x20x16	110	20	16	16.3	16.1	14.5	10.0	30.64
110x25x20	110	25	20	20.3	20.1	16.5	14.0	33.62
110x32x25	110	32	25	25.3	25.1	19.0	18.0	38.96
110x40x32	110	40	32	32.3	32.1	22.5	24.0	45.17
110x50x40	110	50	40	40.3	40.1	26.5	31.5	54.3
110x63x50	110	63	50	50.3	50.1	31.5	38.0	66.69
110x75x63	110	75	63	63.3	63.1	38.0	48.0	80.18



鞍形接头Sampling Header (T)

DIN

Nominal Size	Outside Dia		Structural Diameter		Threaded(n/in)	
	D	D1	d	L	NPT	BSPF/PT
dn32x1/4"	32	20	10	36.37	18	19
dn32x3/8"	32	20	10	36.37	18	19
dn32x1/2"	32	25	14	38.5	14	14
dn40x1/4"	40	20	10	34.2	18	19
dn40x3/8"	40	20	10	34.2	18	19
dn40x1/2"	40	25	14	39.78	14	14
dn40x3/4"	40	32	18	42.63	14	14
dn50x1/4"	50	20	10	32.92	18	19
dn50x3/8"	50	20	10	32.92	18	19
dn50x1/2"	50	25	14	37.3	14	14
dn50x3/4"	50	32	18	46.23	14	14
dn50x1"	50	40	24	50.08	11.5	11
dn63x1/4"	63	20	10	32	18	19
dn63x3/8"	63	20	10	32	18	19
dn63x1/2"	63	25	14	35.75	14	14
dn63x3/4"	63	32	18	42.81	14	14
dn63x1"	63	40	24	52.36	11.5	11
dn75x1/4"	75	20	10	31.48	18	19
dn75x3/8"	75	20	10	31.48	18	19
dn75x1/2"	75	25	14	34.91	14	14
dn75x3/4"	75	32	18	41.22	14	14
dn75x1"	75	40	24	49.12	11.5	11
dn90x1/4"	90	20	10	31.03	18	19
dn90x3/8"	90	20	10	31.03	18	19
dn90x1/2"	90	25	14	34.22	14	14
dn90x3/4"	90	32	18	40	14	14
dn90x1"	90	40	24	46.91	11.5	11
dn110x1/4"	110	20	10	30.64	18	19
dn110x3/8"	110	20	10	30.64	18	19
dn110x1/2"	110	25	14	33.62	14	14
dn110x3/4"	110	32	18	38.96	14	14
dn110x1"	110	40	24	45.17	11.5	11




管材Pipe (DIN)

规格	S系列	
	S5	S3.2
	SDR	
	11	7.4
	厚度	厚度
20	2.0	2.8
25	2.3	3.6
32	2.9	4.4
40	3.7	5.5
50	4.6	6.9
63	5.8	8.6
75	6.8	10.3
90	8.2	12.3
110	10.0	15.1
125	11.4	17.1
140	12.7	19.2
160	14.6	21.9

直接头Coupling (SxS)

规格	D	d	dn1		dn2		L1	L
			min	max	min	max		
DN15	26.50	17.05	19.00	19.50	18.80	19.30	15.00	33.00
DN20	33.00	21.80	23.80	24.40	23.50	24.10	16.50	36.00
DN25	42.20	28.70	30.70	31.30	30.40	31.00	18.60	40.20
DN32	53.00	36.60	38.70	39.30	38.30	38.90	21.00	45.00
DN40	66.00	46.60	48.70	49.30	48.30	48.90	24.00	51.00
DN50	83.50	59.40	61.60	62.20	61.10	61.70	28.00	59.00
DN65	95.00	70.30	73.20	74.00	71.90	72.70	31.50	67.00
DN80	113.50	84.90	87.80	88.80	86.40	87.40	36.00	77.00
DN100	138.50	104.30	107.30	108.50	105.80	106.80	42.00	90.00



异径直接 (大小头) Reducing Socket (SxS)

Size	外径尺寸		插口尺寸										结构尺寸	
	D1	D2	dm1		dm2		L1	dn1		dn2		L2	d1	L
			min	max	min	max		min	max	min	max			
DN20xDN15	33.00	26.50	23.80	24.40	23.50	24.10	16.50	19.00	19.50	18.80	19.30	15.00	17.05	38.00
DN25xDN20	42.20	33.00	30.70	31.30	30.40	31.00	18.60	23.80	24.40	23.50	24.10	16.50	21.80	43.10
DN25xDN15	42.20	26.50	30.70	31.30	30.40	31.00	18.60	19.00	19.50	18.80	19.30	15.00	17.05	41.60
DN32xDN25	53.00	42.20	38.70	39.30	38.30	38.90	21.00	30.70	31.30	30.40	31.00	18.60	28.70	49.60
DN32xDN20	53.00	33.00	38.70	39.30	38.30	38.90	21.00	23.80	24.40	23.50	24.10	16.50	21.80	47.50
DN32xDN15	53.00	26.50	38.70	39.30	38.30	38.90	21.00	19.00	19.50	18.80	19.30	15.00	17.05	46.00
DN40xDN32	66.00	53.00	48.70	49.30	48.30	48.90	24.00	38.70	39.30	38.30	38.90	21.00	36.60	58.00
DN40xDN25	66.00	42.20	48.70	49.30	48.30	48.90	24.00	30.70	31.30	30.40	31.00	18.60	28.70	55.60
DN40xDN20	66.00	33.00	48.70	49.30	48.30	48.90	24.00	23.80	24.40	23.50	24.10	16.50	21.80	53.50
DN40xDN15	66.00	26.50	48.70	49.30	48.30	48.90	24.00	19.00	19.50	18.80	19.30	15.00	17.05	52.00
DN50xDN40	83.50	66.00	61.60	62.20	61.10	61.70	28.00	48.70	49.30	48.30	48.90	24.00	46.60	68.50
DN50xDN32	83.50	53.00	61.60	62.20	61.10	61.70	28.00	38.70	39.30	38.30	38.90	21.00	36.60	65.50
DN50xDN25	83.50	42.20	61.60	62.20	61.10	61.70	28.00	30.70	31.30	30.40	31.00	18.60	28.70	63.10
DN50xDN20	83.50	33.00	61.60	62.20	61.10	61.70	28.00	23.80	24.40	23.50	24.10	16.50	21.80	61.00
DN50xDN15	83.50	26.50	61.60	62.20	61.10	61.70	28.00	19.00	19.50	18.80	19.30	15.00	17.05	59.50
DN65xDN50	95.00	83.50	73.20	74.00	71.90	72.70	31.50	61.60	62.20	61.10	61.70	28.00	59.40	78.00
DN65xDN40	95.00	66.00	73.20	74.00	71.90	72.70	31.50	48.70	49.30	48.30	48.90	24.00	46.60	74.00
DN65xDN32	95.00	53.00	73.20	74.00	71.90	72.70	31.50	38.70	39.30	38.30	38.90	21.00	36.60	71.00
DN65xDN25	95.00	42.20	73.20	74.00	71.90	72.70	31.50	30.70	31.30	30.40	31.00	18.60	28.70	68.60
DN65xDN20	95.00	33.00	73.20	74.00	71.90	72.70	31.50	23.80	24.40	23.50	24.10	16.50	21.80	66.50
DN65xDN15	95.00	26.50	73.20	74.00	71.90	72.70	31.50	19.00	19.50	18.80	19.30	15.00	17.05	65.00
DN80xDN65	113.50	95.00	87.80	88.80	86.40	87.40	36.00	73.20	74.00	71.90	72.70	31.50	70.30	90.50
DN80xDN50	113.50	83.50	87.80	88.80	86.40	87.40	36.00	61.60	62.20	61.10	61.70	28.00	59.40	87.00
DN80xDN40	113.50	66.00	87.80	88.80	86.40	87.40	36.00	48.70	49.30	48.30	48.90	24.00	46.60	83.00
DN80xDN32	113.50	53.00	87.80	88.80	86.40	87.40	36.00	38.70	39.30	38.30	38.90	21.00	36.60	80.00
DN80xDN25	113.50	42.20	87.80	88.80	86.40	87.40	36.00	30.70	31.30	30.40	31.00	18.60	28.70	77.60
DN80xDN20	113.50	33.00	87.80	88.80	86.40	87.40	36.00	23.80	24.40	23.50	24.10	16.50	21.80	75.50
DN80xDN15	113.50	26.50	87.80	88.80	86.40	87.40	36.00	19.00	19.50	18.80	19.30	15.00	17.05	74.00
DN100xDN80	138.50	113.50	107.30	108.50	105.80	106.80	42.00	87.80	88.80	86.40	87.40	36.00	84.90	105.00
DN100xDN65	138.50	95.00	107.30	108.50	105.80	106.80	42.00	73.20	74.00	71.90	72.70	31.50	70.30	101.50
DN100xDN50	138.50	83.50	107.30	108.50	105.80	106.80	42.00	61.60	62.20	61.10	61.70	28.00	59.40	98.00
DN100xDN40	138.50	66.00	107.30	108.50	105.80	106.80	42.00	48.70	49.30	48.30	48.90	24.00	46.60	93.00
DN100xDN32	138.50	53.00	107.30	108.50	105.80	106.80	42.00	38.70	39.30	38.30	38.90	21.00	36.60	90.00
DN100xDN25	138.50	42.00	107.30	108.50	105.80	106.80	42.00	30.70	31.30	30.40	31.00	18.60	28.70	87.60
DN100xDN20	138.50	33.00	107.30	108.50	105.80	106.80	42.00	23.80	24.40	23.50	24.10	16.50	21.80	85.50
DN100xDN15	138.50	26.50	107.30	108.50	105.80	106.80	42.00	19.00	19.50	18.80	19.30	15.00	17.05	84.00

规格	外径尺寸			结构尺寸						
	D1	D2	L1	L2	L	S1	S2			
DN150xDN80	160.00	90.00	40.00	22.00	125.00	14.60	8.50			
DN150xDN100	160.00	110.00	40.00	28.00	125.00	14.60	10.00			
DN150xDN125	160.00	140.00	40.00	35.00	125.00	14.60	12.70			

